

Nova Scotia



Department of
Education

Nova Scotia Museum


Curatorial Report Number 78

Atlas of Rare Vascular Plants in Nova Scotia, Volume 1

Achillea borealis Bong.
to *Hypericum majus* (Gray) Britt.

By Gilda Pronych and Alex Wilson
November, 1993

Nova Scotia Museum
of Natural History
1747 Summer Street
Halifax, Nova Scotia, Canada
B3H 3A6



QK
86
C2
P79
1993

DALHOUSIE UNIVERSITY
LIBRARIES
HALIFAX, NOVA SCOTIA

Nova Scotia



Department of
Education

Nova Scotia Museum

Curatorial Report Number 78

Atlas of Rare Vascular Plants in Nova Scotia, Volume 1

Achillea borealis Bong.
to *Hypericum majus* (Gray) Britt.

By Gilda Pronych and Alex Wilson
November, 1993

Nova Scotia Museum
of Natural History
1747 Summer Street
Halifax, Nova Scotia, Canada
B3H 3A6

QK

86

C2

P79


1993

V.1

REF/

SCI

16



Nova Scotia Museum Curatorial Reports

The Curatorial Reports of the Nova Scotia Museum make technical information on Museum programs, procedures and research accessible to specialist audiences.

This report contains the preliminary results of an ongoing research program of the Museum. It may be cited in publications, but its manuscript status should be clearly indicated.

This atlas is an evolving document. We hope to revise and upgrade the information on a regular basis. The authors would appreciate hearing of errors, omissions, and additions so that these may be considered in future editions.

ACKNOWLEDGEMENTS

The authors would like to thank the following for their contributions to this document: Dr. G. Argus, Dr. A. Bouchard, Mr. D. Carter, Dr. D.S. Davis, Mr. C. Ewing, Ms. M.A. Hamelin, Dr. M.J. Harvey, Mr. J. Kemp, Ms. R. Maher, Ms. E. Moffatt, Mr. C. Murray, Ms. R. Newell, Mr. F. Scott, Dr. M.J. Waterway, Mr. B. Wright, and Ms. M. Zinck.

INTRODUCTION

This atlas includes distribution records for those native Nova Scotian, vascular plants which have been designated as 'rare' by Maher et al. 1978 and/or Argus & Pryer 1990. The plants are arranged alphabetically (Latin binomial) to assist those not familiar with taxonomic ordering. The maps record collections held, for the most part, by herbaria in Nova Scotia (Nova Scotia Museum, Acadia University, Dalhousie University, Saint Francis Xavier University, University College of Cape Breton, Nova Scotia Agricultural College). With the exception of Mount Allison University in Sackville, NB, The Gray Herbarium of Harvard University, MA, and a few records from The Canadian Museum of Nature and The Central Experimental Farm, both in Ottawa, Ont, we have been unable to survey other herbaria for Nova Scotian material.

• Overview: Rare and Endangered Vascular Plants in Nova Scotia

The short article which follows this introduction was prepared for the second edition of *The Natural History of Nova Scotia* (in progress). It is included here to provide useful context for the information in the body of the atlas.

• Maps

The maps have been overlaid by 10 kilometer squares on the Universal Transverse Mercator Grid. A black circle indicates that a specimen has been collected from a location within the 10 kilometer square. A few records, not supported by specimens, have been included as open circles. Some older collections, lost in a fire at the Nova Scotia Agricultural College, are not included.

• Names

The Latin binomials are consistent with those published in Argus & Pryer 1990, Hinds 1983, Kartesz & Kartesz 1980, and Maher et al 1978. In those cases where there were discrepancies, the most recently published source was used. Common names have not been included because they are often inconsistent. Most of these rarities do not have a 'common name' in Nova

Scotia. Synonyms have been included only if they are used by the cited references.

• References

One or more references have been included, which indicate the published source that has cited the taxon as rare in Nova Scotia.

• Ranges

Much of this information has been extracted from Argus & Pryer 1990, Hinds 1983, and Maher et al 1978. The place name abbreviations are from *The Times Atlas of the World* 1985) with the exception of the Yukon Territories (=YT) from Maher et al 1978 and Hinds 1983. Most of the distributions are North American but a few include extensions beyond this continent. The North American range is given in two parts separated by a semicolon: Canada/Alaska and the United States. The Canadian/Alaskan range is expressed in two tiers from west to east:

First tier: (Alas - YT - NWT)

Second tier: (BC - Alta - Sask - Man - Ont - Que -
NB - PEI - NS - Nfld - Lab)

A hyphen indicates a continuous distribution and a comma indicates a discontinuity (n.b. the Alas - NWT tier is always followed by a comma to mark the end of a tier).

The US range is denoted by either specific states or by geographic regions (e.g. Great Lakes - two or more states bordering on the Lakes, New England - Maine to Connecticut).

If a wider range is included a semicolon follows the US range.

• Habitats

The habitat information has been compiled from a variety of sources including herbarium collection labels, Roland & Smith 1969, Hinds 1983, Maher et al 1978, Fernald 1950, and Gleason 1963.

• Status

The status is rare in each case but this may be amplified on the basis of other published work or manuscripts (e.g. COSEWIC reports, Argus & Pryer 1990 - Canadian Priority).

- **Comments**

Comments may be included to further explain the maps or to clarify other points which may appear confusing.

- **NSM Collections**

Specimen label information for the herbarium of the Nova Scotia Museum (NSM) has been included to offer information pertaining to the following headings:

- **Localities**

These are given as they appear on the herbarium labels. The county is listed first, followed by descriptors like town, city, lake , mountain, etc. Names in parentheses indicate names that are presently most widely accepted. Places given in quotations are not found in gazetteers and are usually nicknames or locally adopted names.

- **Dates Collected**

Collection dates are expressed in terms of month/day/year, wherever possible. The year appears in two digits, with the exception of the 19th century years, which are fully written out. Ranges of days are given when the actual day a specimen was collected is uncertain. "Unknown" applies to specimens whose collection dates do not appear on the label.

- **Collectors**

Collector names are given in the format of initials and last name.

- **Appendix**

This list includes additional taxa which have been described as 'rare' in Roland & Smith 1969 or by other workers. Further attention should be given to these plants to determine their present status.

OVERVIEW: RARE AND ENDANGERED VASCULAR PLANTS IN NOVA SCOTIA

Rare plants are those which grow, without the aid of cultivation, in only a few locations, or are thought to be represented in our flora by only a small number of individuals. Although rarities account for a tiny percentage of the total plant biomass in Nova Scotia's wildlands, the number of species so designated is surprisingly large. Maher et al listed 222 of this province's approximately 1500 vascular plants as rare.¹

Various schemes have been devised to quantify degree of rarity. Argus and Pryer² considered 45 of our native vascular plants to be rare in Canada and gave each a conservation priority ranking from #1 (at risk) to #5 (little risk). To date, COSEWIC (Committee on the Status of Endangered Wildlife in Canada) has assigned status (i.e., endangered, threatened, or vulnerable) to nine native Nova Scotia plants. (*Geum peckii*,³ *Juncus caesariensis*,⁴ *Coreopsis rosea*,⁵ *Drosera filiformis*,⁶ *Lophiola aurea*,⁷ *Sabatia kennedyana*,⁸ *Clethra alnifolia*,⁹ *Hydrocotyle umbellata*,¹⁰ *Lilaeopsis chinensis*.¹¹)

Endemics

The most noteworthy of our rare native plants are those species in which the entire population is restricted to a small geographic area. There are three widely accepted endemics in Nova Scotia. *Euthamia galetorum* (= *Solidago g.*) is a narrowleaf goldenrod which grows only on lakeshores in south-western Nova Scotia but can be quite abundant. *Geum peckii*, the Eastern Mountain Avens, is found on Brier Island (District 810) and mountain tops in New Hampshire. The third is *Carex viridula* var. *saxicola*, a diminutive seashore sedge, also known from Brier Island and a few coastal locations in Newfoundland. A few other natives have been suggested as endemics, but their taxonomic status has been questioned (e.g., *Epilobium nesophilum* var.

sabulonense, a fireweed unique to Sable Island (District 890), is now considered the more widespread *E. leptophyllum*. *Amelanchier lucida* Fern., a shadbush described from Nova Scotia and unknown elsewhere, is currently being investigated).

Most of the rare plants in Nova Scotia are species at the edge of their range and are, indeed, quite common near the centre of their distribution pattern.

Arctic/Alpine Species

We have a number of Arctic/alpine species which manage to compete only in the Cape Breton Highlands (Region 200), or in coastal environments where conditions are severe.^{12,13,14,15,16,17} These include the dwarf *Betula* spp. (birches) and *Salix* spp. (willows), *Vaccinium uliginosum* (Arctic Blueberry), *Botrychium lunaria* (the tiny Moonwort Fern), *Senecio pseudo-arnica* (Beach Senecio) and *Cochlearia tridactylites* (Scurvygrass).¹⁸

Coastal Plain Flora

Others are southerners which are likely to be found in somewhat more protected habitats. This group includes a number of coastal plain disjuncts: species which grow primarily along the mid-Atlantic seaboard and in southwestern Nova Scotia but not in the northern states or New Brunswick.^{3,14,19,20} These plants may have colonized Nova Scotia from vast offshore refugia exposed during maximum glaciation some 16-12 000 years BP. As the water returned to the ocean from melting ice, sea levels rose relative to the land. Some southern species were able to establish themselves on the newly exposed land adjacent to these refugia. *Sabatia kennedyana* (Plymouth Gentian)⁸, *Coreopsis rosea* (Pink Coreopsis)⁵, *Hydrocotyle umbellata* (Water-pennywort)¹⁰, *Lophiola aurea* (Goldcrest)⁷, *Lachnanthes tinctoria* (Redroot), *Woodwardia aerolata* (Netted Chain Fern), *Scirpus longii* (Long's Bullrush)²¹, *Clethra alnifolia* (Sweet Pepperbush)²², *Drosera filiformis* (Thread-leaved Sundew)⁶, and *Toxicodendron vernix*²³ are rare representatives of this coastal plain

assemblage. Others in this group have become quite abundant and widespread in Nova Scotia; for example, *Viola lanceolata*, (Lance-leaf Violet), *Calopogon pulchellus* (Bog Pink), *Gaylussacia dumosa* (Bog Huckleberry).

Other rarities in Nova Scotia are associated with very specific habitats; those that have become less common in the province or never were well-represented in the province. The intervalles, wooded floodplains along slow-moving rivers, have been much altered for agricultural purposes, for commercial and residential development and by the removal of hardwoods (American Elm and Sugar Maple). The few remaining undisturbed intervalles are prime localities for *Hepatica americana* (Hepatica), *Adiantum pedatum* (Maidenhair Fern)²⁴, *Allium tricoccum* (Wild Leek), *Caulophyllum thalictroides* (Blue Cohosh) and *Lilium canadense* (Canada Lily), among others. The *Viola canadensis* (Canada Violet) and *Cypripedium arietinum* (Ram's-head Lady's-slipper) are known only from alkaline soils like those in the gypsum areas around Windsor, a relatively scarce habitat in the province.

Many of the new records of plants in Nova Scotia published recently must be assumed to be rarities as the flora of this region has been well studied for such a long time (e.g., *Isoetes prototypus* Britton is a species new to science described from three Nova Scotia lakes).²⁵

Protection

At present, rare plants are protected in Nova Scotia only when they grow in a park or a nature reserve (as designated under the Special Places Protection Act of the Nova Scotia Legislature 1980). However, they are given serious consideration in the environmental assessment process. Probably the most intensively studied subject in this context is *Drosera filiformis* and the proposal to extract peat from Swaines Road Bog near Barrington (Unit 841), Shelburne County.^{26,27}

There appears to be acceptance, from both the general public and government, that biodiversity must be preserved. The issue is addressed in "A Sustainable Development Strategy for Nova Scotia," a report from the Nova Scotia Round Table on Environment and Economy²⁶. In addition to potential future commercial uses, it is stated that "there are moral, aesthetic, cultural, educational, recreational and purely scientific values associated with wild materials ... Preservation of Nova Scotia's biological diversity means adequate representation of all its species, habitats and ecoregions." These views are supported by "The Convention on Biodiversity" adopted by the Rio Convention in May 1992 which is currently being developed as a strategy for Canada.

Addenda


In addition to the academic literature on rare plants in Nova Scotia, there is a growing body of interpretive material aimed at laypersons.^{28,29} The Nova Scotia Museum of Natural History is producing a series of Species Status Sheets on taxa of special concern. A number of rare plants are included in the 50 sheets now in various stages of production. The exhibition **Rare for a Reason**, which includes numerous plants, opened in 1993 and will travel throughout the province.

Overview References

1. Maher, R.V., D.J. White, G.W. Argus and P.A. Keddy (1978), *The Rare Vascular Plants of Nova Scotia* Syllogeus No. 18, National Museums of Canada.
2. Argus, G.W. and K.M. Pryer (1990), *Rare Vascular Plants in Nova Scotia* Canadian Museum of Nature.
3. Keddy, C. (1986), Status Report on the Eastern Mountain Avens, *Geum peckii*. Unpublished manuscript for COSEWIC.
4. Newell, R.E. and R.B. Newell (1991), Status Report on New Jersey Rush (*Juncus caesariensis* Cov.) Unpublished manuscript for COSEWIC.

5. Keddy, C. and P.A. Keddy (1983), Status Report on the Pink Coreopsis, *Coreopsis rosea*. Unpublished manuscript for COSEWIC.
6. Zinck, M. (1991), Status Report on the Thread-leaved Sundew, *Drosera filiformis* Raf. Unpublished manuscript for COSEWIC.
7. Keddy, C. (1987), Status Report on the Golden Crest, *Lophiola aurea*. Unpublished manuscript for COSEWIC.
8. Keddy, C. and P.A. Keddy (1984), Status Report on the Plymouth Gentian *Sabatia kennedyana*. Unpublished manuscript for COSEWIC.
9. Taschereau, P.M. (1984), Status Report on Sweet Pepperbush, *Clethra alnifolia* L., a Threatened Species in Canada. Unpublished manuscript for COSEWIC.
10. Wilson, S. (1985), Status Report on the Water Pennywort, *Hydrocotyle umbellata*. Unpublished manuscript for COSEWIC.
11. Keddy, C. (1987), Status Report on Lilaeopsis, *Lilaeopsis chinensis* in Canada. Unpublished manuscript for COSEWIC.
12. Hounsell, R.W. and E.C. Smith (1966), "Contributions to the flora of Nova Scotia VIII: Distribution of Arctic-alpine and Boreal disjuncts". *Rhodora* 68, No. 776.
13. Hounsell, R.W. and E.C. Smith (1968), "Contributions to the flora of Nova Scotia: Habitat studies of Arctic-alpine and Boreal disjunct species". *Rhodora* 70, No. 782.
14. Roland, A.E. and E.C. Smith (1969), *The Flora of Nova Scotia*. Nova Scotia Museum.
15. Hinds, H.R. (1984), "Additions to the flora of Cape Breton Highlands National Park". *Rhodora*, 86, No. 845.
16. Beland, R.J. and W.B. Schofield (1993), "Salix vestita Pursh and *Saxifraga oppositifolia* L.: Arctic-alpine species new to Nova Scotia". *Rhodora*, 95, No. 881.
17. Bridgland, J. (1989), "Rare plants in the Highlands: Key to glacial history". *Nova Scotia Conservation*, 13, No. 2.
18. Benjamin, L.K. and R.E. Newell (1985), "Scurvygrass, *Cochlearia tridactylites*, a new plant record for Nova Scotia". *The Can. Field Nat.* 99(3).
19. Roland, A.E. (1991), "Coastal-plain Plants in Inland Nova Scotia". *Rhodora*, 93, No. 875.

20. Hill, N.M. and P.A. Keddy (1992), "Prediction of rarities from habitat variables: coastal plants on Nova Scotian lakeshores". *Ecology*, 73(5).
21. Hill, N.M. and M.E. Johansson (1992), "Geographical distribution and ecology of Long's Bulrush, *Scirpus longii* (Cyperaceae) in Canada". *Rhodora* 94, No. 878.
22. Taschereau, P.M. (1969), "Clethraceae, a Plant Family New to Canada". *Can. Field Nat.*, 83.
23. Hill, N.M. (1989), "*Toxicodendron vernix* added to the flora of Nova Scotia." *Rhodora*, 91, No. 867.
24. Porter, S. (1993), "*Adiantum pedatum* in Nova Scotia." *Proc. N.S. Inst. Sci.* 40.
25. Britton, D.M. and J.P. Goltz (1991), "*Isoetes prototypus* a new diploid species from Eastern Canada". *Can. J. of Bot.*, 69, No. 2.
26. Freedman, B., W. Maass, and P. Parfenov (1991), *Assessment of the likely effects of peat extraction from Swaines Road (Barrington) Bog, Shelburne County, on Drosera filiformis and its habitat*. Dept. of Biology and School for Resources and Environmental Studies, Dalhousie University, Halifax.
27. Hill, N.M. and M. Zinck (1990), Preliminary report on the effect of peat mining on Swaines Bog vegetation. Unpublished manuscript, Nova Scotia Museum.
28. Keddy, P.A. (1979), "Endangered wild plants of Nova Scotia". *Nova Scotia Conservation*, 3, No. 2.
29. Wilson, A. (1992), "The Rare Native Plants of Nova Scotia". *Federation of N.S. Naturalists Newsletter*, Vol. 2, No. 3.



Name: *Achillea borealis* Bong.

Reference: Maher et al. 1978


Range: Alas-NWT, BC-Que, NS-Lab; s to Cal, New England

Habitat: talus slopes, exposed headlands, damp scree,
dry ledges of cliffs, cliff crevices

Status: Rare

NSM Collections:

<p>Specimen No: 53.481 Locality: Indian Brook, Victoria County Coll. Date: 08/08/53 Collector(s): J.S. Erskine</p>	<p>Specimen No: 3845 Locality: Boars Head, Isle au Haute, Cumberland County Coll. Date: 08/06/53 Collector(s): W.B. Schofield</p>
<p>Specimen No: 52.460 Locality: Big Southwest Aspy (Big Southwest Brook), Inverness County Coll. Date: 07/17/52 Collector(s): J.S. Erskine</p>	



Name: *Adiantum pedatum* L. var. *pedatum*

Reference: Maher et al. 1978


Range: Ont-NB, NS; Okla and Ga-Minn

Habitat: fresh water shorelines, alluvial soil, rich woods, intervals

Status: Rare

NSM Collections:


Specimen No: Locality: Meander River, Brooklyn, Hants County Coll. Date: 06/20/89 Collector(s): S. Porter, R. Newell, A. Wilson	
Specimen No: Locality: Newport, Hants County Coll. Date: May 1897	



Name: *Agalinis maritima* (Raf.) Raf.
Alternate Name(s): *Gerardia maritima* Raf.
Reference: Argus & Prysor 1990, Maher et al. 1978
Range: NB, NS; Tex-Fla-Me
Habitat: salt marshes
Status: Canadian Priority: 3

NSM Collections:

Specimen No:	54.1328	
Locality:	Argyle Head, Yarmouth County	
Coll. Date:	08/15/54	
Collector(s):	J.S. Erskine	
Specimen No:	54.1356	
Locality:	Chebeque (Chebeck Cove), Wedgeport, Yarmouth County	
Coll. Date:	08/16/54	
Collector(s):	J.S. Erskine	



***Allium
schoenoprasum L.
var. laurentianum
Fern.***

Name: ***Allium schoenoprasum L. var. laurentianum* Fern.**

Reference: Maher et al. 1978


Range: Ont-Nfld, NS; Mich-NY

Habitat: exposed headlands, dry roadsides, coastal meadows

Status: Rare

NSM Collections:

Specimen No: V501	
Locality: Little Lorraine, Cape Breton County	
Coll. Date: 07/22/85	
Collector(s): V. Lloyd	
Specimen No: 300	
Locality: North Point, south of, Brier Island, Digby County	
Coll. Date: 06/15/49	
Collector(s): A.E. Roland	



***Allium tricoccum* Ait.**

Name: *Allium tricoccum* Ait.

Reference: Maher et al. 1978


Range: Man-NB, NS; Minn-Ga

Habitat: deciduous forests, sugar maple woods, intervals, rich woods

Status: Rare

NSM Collections:

<p>Specimen No: 53.200 Locality: Blomidon, Kings County Coll. Date: 07/10/53 Collector(s): J.S. Erskine</p>	<p>Specimen No: 50484 Locality: Kemptown, Colchester County Coll. Date: 07/25/50 Collector(s): E.C. Smith, J.S. Erskine</p>
<p>Specimen No: Locality: Kemptown, Colchester County Coll. Date: 07/24/86 Collector(s): A. Wilson</p>	




Name: *Alnus serrulata* (Dry.) Willd.
Alternate Name(s): *A. rugosa* (DuRoi) Spreng. var. *serrulata* (Ait.) Winkler
Reference: Argus & Pryer 1990, Maher et al. 1978
Range: NB, NS; Kan and Tex-Fla-Me
Habitat: lake edges, old pastures, swamps, swales
Status: Canadian Priority: 5

NSM Collections:

Specimen No: 65.633 Locality: Carleton, Yarmouth County Coll. Date: 07/08/54 Collector(s): J.S. Erskine	Specimen No: 13304 Locality: Hibernia, Queens County Coll. Date: 08/07/54 Collector(s): E.C. Smith, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley
Specimen No: 57.204 Locality: Port Hebert Harbour (Port L'Hebert) Shelburne County Coll. Date: 07/11/57 Collector(s): J.S. Erskine	Specimen No: 56.807 Locality: Beartrap Lake, Queens County Coll. Date: 08/27/56 Collector(s): J.S. Erskine

Anemone canadensis L.

Specimen No: 57.049 Locality: Italy Cross, Lunenburg County Coll. Date: 08/23/57 Collector(s): J.S. Erskine	Specimen No: 53.334 Locality: Greenfield, Queens County Coll. Date: 07/23/53 Collector(s): J.S. Erskine
Specimen No: 10323 Locality: Ponhook Lake, Queens County Coll. Date: 10/18/53 Collector(s): E.C. Smith, J.C. Taylor, D.H. Webster, L.B. Slipp	
Specimen No: 53.303 Locality: Crows Nest, Victoria County Coll. Date: 07/14/53 Collector(s): J.S. Erskine	
Specimen No: 128 Locality: MacDonald's Point, Queens County Coll. Date: 08/26/52 Collector(s): R.E. McDonald	Specimen No: 53.315 Locality: Bay St. Lawrence, west of Victoria County Coll. Date: 07/14/52 Collector(s): J.S. Erskine



Name: *Anemone canadensis* L.

Reference: Maher et al. 1978

Range: BC-NB, NS-Nfld; s to Tenn and NJ

Habitat: wet meadows, roadsides, wooded marsh edges, swales, pond edges, swampy woods, clay soil

Status: Rare

NSM Collections:

Specimen No: 16783 Locality: Cape Jack, Antigonish County Coll. Date: 07/29/57 Collector(s): E.C. Smith, A.C. MacDonald, W.J. Curry	Specimen No: 53.501 Locality: Capstick, Victoria County Coll. Date: 08/09/53 Collector(s): J.S. Erskine
Specimen No: 128 Locality: Macdonalds Point, Queens County Coll. Date: 06/28/52 Collector(s): R.E. MacDonald	Specimen No: 52.395 Locality: Bay St. Lawrence, west of, Victoria County Coll. Date: 07/14/52 Collector(s): J.S. Erskine


*Anemone
quinquefolia* L. var.
quinquefolia

Specimen No: 52.284
 Locality: Cheticamp, north of,
 Inverness County
 Coll. Date: 07/06/52
 Collector(s): J.S. Erskine

Specimen No: 50492
 Locality: Presqu'ile, north of Cheticamp,
 Inverness County
 Coll. Date: 07/25/50
 Collector(s): E.C. Smith, J.S. Erskine

Note: Collections:

Specimen No: Locality: Coll. Date: Collector(s):	F-78 West Middle River, Victoria County 08/21/88 S. Ferguson	Specimen No: Locality: Coll. Date: Collector(s):	63-148 Upper Stewiacke, Colchester County 07/01/83 J.S. Erskine
Specimen No: Locality: Coll. Date: Collector(s):	F-81 West Middle River, Victoria County 08/21/88 S. Ferguson	Specimen No: Locality: Coll. Date: Collector(s):	St. Andrews River, Stewiacke, Colchester County 08/23/88 Bell, Gotham, Mason and Pinta



Name: *Anemone quinquefolia* L. var. *quinquefolia*

Reference: Maher et al. 1978

Range: Ont-NS; Ohio-NC

Habitat: shaded shorelines of rivers, intervals, thickets, wooded areas, spray zones


Status: Rare

NSM Collections:

<p>Specimen No: F-75 Locality: West Middle River, Victoria County Coll. Date: 05/21/86 Collector(s): S. Ferguson</p>	<p>Specimen No: 53.146 Locality: Upper Stewiacke, Colchester County Coll. Date: 07/01/53 Collector(s): J.S. Erskine</p>
<p>Specimen No: F-81 Locality: West Middle River, Victoria County Coll. Date: 05/21/86 Collector(s): S. Ferguson</p>	<p>Specimen No: Locality: St. Andrews River, Stewiacke, Colchester County Coll. Date: 05/23/46 Collector(s): Bell, Gorham, Mason, and Pentz</p>

Anemone hybrida Fenzl.

Specimen No: Locality: Coll. Date: Collector(s):	14321 St. Andrews River, Stewiacke, Colchester County 05/21/87 A. Wilson	Specimen No: Locality: Coll. Date: Collector(s):	45.43 Stewiacke, Colchester County 04/01/45 W.G. Dore, A.E. Roland
Specimen No: Locality: Coll. Date: Collector(s):	14321 Sherbrooke, north of, Guyborough County 06/04/56 E.C. Smith, P.A. Bentley, A.C. MacDonald	Specimen No: Locality: Coll. Date: Collector(s):	4085 St. Andrews River, Stewiacke, Colchester County 06/14/51 E.C. Smith, D. Erskine, D.R. Sampson, F.C. Bent
Collector(s):	J.A. Eason	Coll. Date:	06/14/51
Collector(s):	J.A. Eason	Collector(s):	J.B. Erskine



Name: *Anemone riparia* Fern.

Alternate Name(s): *A. virginiana* L. var. *riparia* (Fern.) Boivin

Reference: Maher et al. 1978

Range: Ont-Que, NS; Great Lakes


Habitat: calcareous and slate ledges, damp scree, stream edges, talus slopes, gullies

Status: Rare

NSM Collections:

Specimen No:	53.486
Locality:	Indian Brook, Victoria County
Coll. Date:	08/08/53
Collector(s):	J.S. Erskine


Specimen No:	51.879
Locality:	Southeast Mabou River (Miramichi Brook), Inverness County
Coll. Date:	08/12/51
Collector(s):	J.S. Erskine



Name:
Reference:
Range:
Habitat:
Status:

Anemone virginiana L.
Maher et al. 1978
BC-NB, NS-Nfld; s to Ga
shorelines of rivers, intervals
Rare

NSM Collections: None




Name: *Antennaria plantaginifolia* (L.) Richards.
Alternate Name(s): *A. denikeana* Boivin, *A. parlinii* Fern.
Reference: Hinds 1983, Maher et al. 1978
Range: Man, Ont-NB, NS; Mont-Obla-Ga-Me
Habitat: dry open deciduous woods, dry fields, gypsum cliffs,
limestone bluffs
Status: Rare

NSM Collections:

Specimen No: 53.364	Specimen No:
Locality: Kennetcook River, Hants County	Locality: Gaspereau River, west of, Melanson, Kings County
Coll. Date: 07/29/53	Coll. Date: 06/24/51
Collector(s): J.S. Erskine	Collector(s): J.S. Erskine

Arabis drummondii
Gray

Specimen No: 53.296 Locality: Halfway River, Hants County Coll. Date: 07/20/53 Collector(s): J.S. Erskine	Specimen No: Locality: Harding Brook, Melanson, Kings County Coll. Date: 07/04/44 Collector(s): R.M. Lewis, E.Gorham
Specimen No: Locality: St. Croix, Hants County Coll. Date: 09/17/49 Collector(s): J.S. Erskine	



Name: *Arabis drummondii* Gray

Reference: Maher et al. 1978

Range: Alas-NWT, BC-NB, NS-Nfld; s to Cal and Ariz,
Great Lakes, New England

Habitat: dry cliffs, talus slopes, first year hay fields

Status: Rare


NSM Collections:

Specimen No:	8818
Locality:	Indian Brook, Victoria County
Coll. Date:	07/17/53
Collector(s):	E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp

Specimen No:	53.036
Locality:	Isle Haute, Cumberland County
Coll. Date:	unknown
Collector(s):	J.S. Erskine, W.B. Schofield

Arabis hirsuta (L.)
 Scop. var. *pyrenaea*
 (M. Hopkins) Rollins


Specimen No: 13970 Locality: Long Island, near Georges River, Cape Breton County Coll. Date: 09/07/55 Collector(s): E.C. Smith, W.B. Schofield, D.H. Webster, P.A. Bentley	Specimen No: 6249 Locality: Big Intervale, near Margaree, Inverness County Coll. Date: 07/01/52 Collector(s): E.C. Smith, J.C. Taylor, D.H. Webster, L.B. Slipp
Specimen No: 52.566 Locality: Blomidon, Kings County Coll. Date: 07/29/52 Collector(s): J.S. Erskine	Specimen No: 52.367 Locality: Cape North, Victoria County Coll. Date: 07/12/52 Collector(s): J.S. Erskine



Name: *Arabis hirsuta* (L.) Scop. var. *pycnocarpa* (M. Hopkins) Rollins
Reference: Maher et al. 1978
Range: Alas-NWT, BC-NB, NS; s to Cal and Ga
Habitat: dry cliffs, cliff crevices, outcrops on rich hardwood slopes,
damp scree
Status: Rare

NSM Collections:

<p>Specimen No: 4962 Locality: Moose Island, Colchester County Coll. Date: 07/22/54 Collector(s): W.B. Schofield</p>	<p>Specimen No: 8124 Locality: Indian Brook, Victoria County Coll. Date: 07/17/53 Collector(s): E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp</p>
<p>Specimen No: 53.483 Locality: Indian Brook, Victoria County Coll. Date: 08/08/53 Collector(s): J.S. Erskine</p>	



Name: *Arenaria groenlandica* (Retz.) Spreng.

Reference: Maher et al. 1978

Range: NWT, Que, NS-Lab; Tenn and SC-New England

Habitat: loose calcareous ledges, rocky granite barrens, among lichens
(Cladonia strepsilis (Ach.) Vain. and *Pycnothelia papillaria*
(Ehrh.) Duf.)

Status: Rare


NSM Collections:

Specimen No:	
Locality:	Peggys Cove, Halifax County
Coll. Date:	06/22/84
Collector(s):	M. Dillistone, P. Hubbard

Specimen No:	114
Locality:	Geizer Hill, west of, Halifax County
Coll. Date:	08/02/47
Collector(s):	R. Bidwell, S. Mason

Amica angustifolia
Vahl sp. *ionchophylla*
 (Spence) G.W. Douglas
 & F. Huyle-Douglas

Specimen No: Locality: Coll. Date: Collector(s):	15197 Gibraltar Rock, top of, Halifax County 08/02/56 E.C. Smith, P.A. Bentley, A.C. MacDonald	Specimen No: Locality: Coll. Date: Collector(s):	621 The Rocking Stone, Kidston Lake, Halifax County 06/16/71 P.M. Taschereau, J. Harvey
Specimen No: Locality: Coll. Date: Collector(s):	The Rocking Stone, Halifax County 10/25/36 M.S. Brown	Specimen No: Locality: Coll. Date: Collector(s):	Spryfield, Halifax, Halifax County 10/03/05 M.S. Brown
Specimen No: Locality: Coll. Date: Collector(s):	Investment County 07/13/62 J.C. Bentley, A.C. Smith	Specimen No: Locality: Coll. Date: Collector(s):	



Name:

Arnica angustifolia Vahl ssp. *lonchophylla*
 (Greene) G.W. Douglas & G. Ruyle-Douglas

Alternate Name(s):

A. chionopappa Fern., *A. lonchophylla* Greene ssp.
chionopappa (Fern.) Maguire

Reference:

Hinds 1983, Maher et al. 1978

Range:

Ont-NB, NS-Nfld

Habitat:


gravel ledges, cool wet cliffs, dry cliffs

Status:

Rare

NSM Collections:

Specimen No:	52.411
Locality:	Grand Anse Brook (Grande Anse River), Inverness County
Coll. Date:	07/15/52
Collector(s):	J.S. Erskine, E.C. Smith



Name:

Artemisia canadensis Michx.

Reference:

Maher et al. 1978

Range:

BC-NB, NS, Lab; Colo-Great Lakes, New England


Habitat:

talus slopes

Status:

Rare

NSM Collections: None



Name: *Asclepias incarnata* L.

Reference: Maher et al. 1978


Range: Man-NS; s to Tex and Ga

Habitat: grassy shorelines, gravelly rivers

Status: Rare

NSM Collections:

<p>Specimen No: Locality: Coll. Date: Collector(s):</p> <p>53.244 Wentworth Lake, Digby County 07/14/53 J.S. Erskine</p>	<p>Specimen No: Locality: Coll. Date: Collector(s):</p> <p>55.558 "Hayes Siding," Hants County 07/27/55 J.S. Erskine</p>
<p>Specimen No: Locality: Coll. Date: Collector(s):</p> <p>McCormacks Brook (MacCormicks Corner), Lake Ainslie, Inverness County 07/17/45 M.S. Brown</p>	



Name: *Asplenium trichomanes* L.

Reference: Maher et al. 1978

Range: Ont-NB, NS; s to Ariz and Ga

Habitat: damp shaded cliffs, rock/basalt crevices, waterfalls, talus, mountain gullies

Status: Rare


NSM Collections:

<p>Specimen No: 5242 Locality: Cape Blomidon, Kings County Coll. Date: 07/31/54 Collector(s): W.B. Schofield</p>	<p>Specimen No: 53.004 Locality: Blomidon, Kings County Coll. Date: 04/25/53 Collector(s): J.S. Erskine, W.B. Schofield</p>
<p>Specimen No: 13967 Locality: Long Island, Cape Breton County Coll. Date: 09/07/55 Collector(s): W.B. Schofield, C.B. Smith, D.H. Webster, P.A. Bentley</p>	<p>Specimen No: 13859 Locality: Indian Brook, near bridge, Victoria County Coll. Date: 09/02/55 Collector(s): W.B. Schofield, E.C. Smith, D.H. Webster, P.A. Bentley</p>

<p>Specimen No: 53.462 Locality: Barachois River, Victoria County Coll. Date: 08/08/53 Collector(s): J.S. Erskine</p>	<p>Specimen No: 4442 Locality: Grays Glen Brook (Grays Hollow Brook), North Branch Brook, Victoria County Coll. Date: 07/14/51 Collector(s): E.C. Smith, W.B. Schofield, D.R. Sampson, F.C. Bent</p>
<p>Specimen No: Locality: Coll. Date: Collector(s):</p> <p>Harding Brook, Melanson, Kings County 10/30/49 J.S. Erskine</p>	<p>Specimen No: Locality: Coll. Date: Collector(s):</p> <p>Hartleys Waterfall (Hartleys Falls), Pirate Cove, Strait of Canso, Guysborough County 08/24/05 M.S. Brown</p>

Asplenium viride
Huds.

<p>Specimen No: 50004 Locality: Bear River, Annapolis County Coll. Date: 06/27/50 Collector(s): J.S. Erskine Status: Rare</p>	<p>Specimen No: 50589 Locality: Aspy Trail (North Aspy River), near Inverness border, Victoria County Coll. Date: 07/17/52 Collector(s): J.S. Erskine</p>
<p>Specimen No: 52.471 Locality: Big Southwest Aspy (Big Southwest Brook), Victoria County Coll. Date: 07/17/52 Collector(s): J.S. Erskine</p>	<p>Specimen No: 5156 Locality: Grande Anse River, Inverness County Coll. Date: 05/27/51 Collector(s): F.O. Bent</p>



Name: *Asplenium viride* Huds.

Reference: Hinds 1983, Maher et al. 1978

Range: Alas-NWT, BC-Alta, Ont-NB, NS-Nfld; s to Cal and Colo, Great Lakes, New England; Greenland, Europe-Asia

Habitat: mossy cliffs below waterfalls, rock outcrops in woods, damp shaded cliffs, slate/rock crevices, waterfall spray zones, dripping limestone cliffs

Status: Rare

NSM Collections:

Specimen No: 8678 Locality: Skye Glen, mountain near, Inverness County Coll. Date: 07/26/53 Collector(s): E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp	Specimen No: 4056 Locality: Grande Anse River, Inverness County Coll. Date: 05/27/51 Collector(s): E.C. Smith, D. Erskine, D.R. Sampson, F.C. Bent
--	---


Aster undulatus L.

Specimen No:	<i>Aster undulatus</i> L. 759
Locality:	Baddeck Bridge, falls near, Victoria County
Coll. Date:	08/20/71
Collector(s):	P.M. Taschereau, P.R. Shute
Status:	Canadian Priority 4

Specimen No:	8
Locality:	Big Baddeck, Victoria County
Coll. Date:	08/16/1887
Collector(s):	M.S. Brown

NMM Collections:

Specimen No:	56.729	Specimen No:	52.1858
Locality:	Greenfield, Quebec County	Locality:	Wentworth Lake, Lunenburg County
Coll. Date:	08/29/56	Coll. Date:	08/21/52
Collector(s):	J.F. Domly, J.B. Frutina	Collector(s):	J.S. Erskine
Specimen No:	54.1863	Specimen No:	53.342
Locality:	Avalon Beach (Avdeport), Yorks County	Locality:	LaHave River, below Route 3 Bridge,
Coll. Date:	08/26/54	Coll. Date:	Lunenburg County
Collector(s):	J.S. Erskine	Collector(s):	J.S. Erskine



Name: *Aster undulatus L.*

Reference: Argus & Pryer 1990, Maher et al. 1978


Range: Ont, NS; S Dak-La-Fla-Me

Habitat: dry open woods, old fields, thickets, barrens, salt marshes, river slopes

Status: Canadian Priority: 4

NSM Collections:

<p>Specimen No: 56.729 Locality: Greenfield, Queens County Coll. Date: 08/29/56 Collector(s): J.F. Donly, J.S. Erskine</p>	<p>Specimen No: 52.1069 Locality: Wentzells Lake, Lunenburg County Coll. Date: 08/23/52 Collector(s): J.S. Erskine</p>
<p>Specimen No: 54.1563 Locality: Avonport Beach (Avonport), Kings County Coll. Date: 08/26/54 Collector(s): J.S. Erskine</p>	<p>Specimen No: 53.342 Locality: LaHave River, below Route 3 Bridge, Lunenburg County Coll. Date: 07/24/53 Collector(s): J.S. Erskine</p>



Name: *Astragalus robbinsii* (Oakes) Gray var. *minor* (Hook.) Barneby

Reference: Maher et al. 1978


Range: Alas, BC-Alta, NS; s to Colo and Vt

Habitat: exposed headlands, roadside slopes, cliff tops

Status: Rare

NSM Collections:

Specimen No: 1 Locality: Cape d'Or, Cumberland County Coll. Date: 06/24/71 Collector(s): R. Belliveau, C. Gaudet	Specimen No: Locality: Cape d'Or, Cumberland County Coll. Date: 06/28/66 Collector(s): J.S. Erskine
Specimen No: Locality: Cape d'Or, Cumberland County Coll. Date: 06/16/71 Collector(s): R. Belliveau, C. Gaudet	



Name: ***Atriplex sabulosa*** Rouy.

Reference: Maher et al. 1978


Range: Que-NS

Habitat: beaches

Status: Rare

NSM Collections:

Specimen No:	58.034
Locality:	Caribou, Pictou County
Coll. Date:	07/17/58
Collector(s):	J.S. Erskine



Name: *Bartonia virginica* (L.) B.S.P.

Reference: Argus & Prysor 1990

Range: Ont-NB, NS-Nfld; Minn-La-Fla-Me

Habitat: peat bogs, dry sandy *Corema* D. Don barrens, burned barrens, openings in dry thickets

Status: Canadian Priority: 4

NSM Collections:

<p>Specimen No: Locality: St. Peters, Richmond County Coll. Date: 08/22/18 Collector(s): M.S. Brown</p>	<p>Specimen No: Locality: Mahone Bay, Lunenburg Co. Coll. Date: 09/23/17 Collector(s): M.S. Brown</p>
<p>Specimen No: Locality: West Baccaro, Shelburne County Coll. Date: 08/17/84 Collector(s): A. Wilson</p>	<p>Specimen No: 54.944 Locality: Pubnico Head (Pubnico Point), Yarmouth County Coll. Date: 07/24/54 Collector(s): J.S. Erskine</p>

Betula borealis
Spreng

Specimen No:	24362	Genus: <i>Betula</i>	Specimen No:	22294
Locality:	Jordan Falls, Sheilburne County		Locality:	Port Mouton, Queens County
Coll. Date:	09/09/21		Coll. Date:	08/17/20
Collector(s):	M.L. Fernald, B. Long		Collector(s):	C.H. Bissell, C.B. Graves

Status:


Components:

Rare

Map based on records from Fernald in
Roland & Smith 1989 (page 336) and from specimens
in NSM collection.

NSM collections:

Specimen No:	507448	Specimen No:	541
Locality:	Cape North, Victoria County	Locality:	French Mountain,
Coll. Date:	08/03/80	Coll. Date:	Pleasant Bay, Inverness County
Collector(s):	E.C. Smith and party, J.S. Luskine	Collector(s):	P.M. Taschenbau




Name: *Betula borealis* Spach
Alternate Name(s): *B. occidentalis* auct.
Reference: Maher et al. 1978
Range: Alas-NWT, BC-NB, NS; New England
Habitat: fields, along paths, high barrens, bogs,
among alder-scrub
Status: Rare
Comments: Map based on records from Fernald in
Roland & Smith 1969 (page 338) and from specimens
in NSM collection.

NSM Collections:

Specimen No:	50744a
Locality:	Cape North, Victoria County
Coll. Date:	08/03/50
Collector(s):	E.C. Smith and party, J.S. Erskine

Specimen No:	541
Locality:	French Mountain, Pleasant Bay, Inverness County
Coll. Date:	10/08/67
Collector(s):	P.M. Taschereau

<p>Specimen No: 53.527 Locality: St. Paul Island, northeast, Victoria County Coll. Date: 08/10/53 Collector(s): J.S. Erskine</p>	<p>Specimen No: 50664 Locality: French Mountain, Inverness County Coll. Date: 07/31/50 Collector(s): J.S. Erskine, J.M. Bruce, F. Bent</p>
<p>Specimen No: Locality: Fox Back Lake, Inverness County Coll. Date: 07/13/86 Collector(s): W. Maass</p>	<p>Specimen No: 56.262 Locality: Oregon, Victoria County Coll. Date: 07/19/56 Collector(s): J.S. Erskine, E.C. Smith and party</p>
<p>Specimen No: 50733 Locality: French Mountain, Cabot Trail, Inverness County Coll. Date: 08/02/50 Collector(s): E.C. Smith and party, J.S. Erskine</p>	



Name: *Betula glandulosa* Michx.

Reference: Maher et al. 1978


Range: Alas-NWT, BC-NB, NS-Lab; s to Cal and Colo, New England

Habitat: edges of sphagnum bog pools, lake margins

Status: Rare

NSM Collections:

Specimen No: 4623	Specimen No: 52.519
Locality: Twin Island Lake, Ingonish Barrens, Victoria County	Locality: Twin Island Lake, Victoria County
Coll. Date: 07/23/52	Coll. Date: 07/21/52
Collector(s): E.C. Smith, W.B. Schofield, D.R. Sampson, F.C. Bent	Collector(s): J.S. Erskine



Name: *Betula michauxii* Spach.

Reference: Maher et al. 1978

Range: Que, NS-Lab

Habitat: wet sphagnum bogs, peat bogs, edges of wet shallow depressions in boggy barrens


Status: Rare

NSM Collections:

Specimen No:	Specimen No:
Locality:	Pond Cove (Big Pond Cove), Brier Island, Digby County
Coll. Date:	08/01/84
Collector(s):	A. Wilson, B. MacLean
Specimen No:	
Locality:	
Coll. Date:	
Collector(s):	

Deltula pumila L.

Specimen No: Locality: Coll. Date: Collector(s):	Brier Island, Digby County Brier Island, Digby County 08/25/71 R. Belliveau, C. Gaudet	Specimen No: Locality: Coll. Date: Collector(s):	539 Brier Island, Digby County 06/07/50 A.E. Roland, E.C. Smith and party
Specimen No: Locality: Coll. Date: Collector(s):	1880 Baleine, Cape Breton County 08/08/85 M. Williams, S. O'Keefe	Specimen No: Locality: Coll. Date: Collector(s):	9470 Gaspereaux Brook, Guysborough County 08/11/53 E.C. Smith, J.C. Taylor, D.H. Webster, L.B. Slipp
Specimen No: Locality: Coll. Date: Collector(s):	W. Williams	Specimen No: Locality: Coll. Date: Collector(s):	J.G. Erskine, J.M. Brock, R. Bell



Name: *Betula pumila* L.

Reference: Maher et al. 1978

Range: Ont-Nfld; s to Ill and NJ

Habitat: sphagnum bogs, meadows, near small ponds in sphagnum with *Carex livida* (Wahl.) Willd. and *Sanguisorba canadensis* L., swamps, alder thickets

Status: Rare


NSM Collections:

Specimen No:	
Locality:	Fox Back Lake, Inverness County
Coll. Date:	07/13/86
Collector(s):	W. Maass

Specimen No:	50664
Locality:	French Mountain, Inverness County
Coll. Date:	07/31/00
Collector(s):	J.S. Erskine, J.M. Bruce, F. Bent

Bidens discoides
(Lgr. & Gray) Britt

Specimen No: 50733 Locality: French Mountain, Cabot Trail, Inverness County Coll. Date: 08/02/50 Collector(s): E.C. Smith and party, J.S. Erskine	Specimen No: 56.262 Locality: Oregon, Victoria County Coll. Date: 07/19/56 Collector(s): J.S. Erskine, E.C. Smith and party
Specimen No: 541 Locality: French Mountain, Pleasant Bay, Inverness County Coll. Date: 10/08/67 Collector(s): P.M. Taschereau	



Name:

Bidens discoidea (Torr. & Gray) Britt.

Reference:

Argus & Pryer 1990

Range:

Ont-Que, NS; Minn-Tex-Fla-Me

Habitat:

waste grounds, swamps, sandy or gravelly shores


Status:

Canadian Priority: 3

Comments:


Localities not very specific: According to Roland & Smith 1969, *Bidens discoidea* (Torr. & Gray) Britt. is found on Pictou beaches. No specimens in Nova Scotia herbarium collections.

NSM Collections: None



Name: *Bidens hyperborea* Greene
Reference: Maher et al. 1978
Range: Ont-NB, NS; s to Md
Habitat: tidal mud flats, brackish estuaries
Status: Rare

NSM Collections: None



Name: *Botrychium lanceolatum* (Gmel.) Angstr. var.
angustisegmentum Pease & Moore

Reference: Maher et al. 1978


Range: Ont-Nfld; Great Lakes-NC

Habitat: rich woods on hillsides, open grassy areas

Status: Rare

NSM Collections:

Specimen No:	53.052
Locality:	Isle Haute, Cumberland County
Coll. Date:	06/06/53
Collector(s):	J.S. Erskine, W.B. Schofield



Name: *Botrychium lunaria* (L.) Sw.

Reference: Hinds 1983, Maher et al. 1978

Range: Alas-NWT, BC-NB, NS-Lab; s to Cal and Colo, Great Lakes, New England; Greenland, Iceland, Eurasia

Habitat: crevices at cliff bases, wet calcareous soil, between dunes, shaded mossy rocks

Status: Rare


NSM Collections:

Specimen No:

Locality: Conrads Island
(Conrods Beach),
Lawrencetown, Halifax County

Coll. Date: 05/23/91

Collector(s): R. Ballard, A. Wilson



Name: *Botrychium simplex* E. Hitchc.

Reference: Maher et al. 1978

Range: BC, Sask, Ont-NB, NS-Nfld; s to Cal and N Mex, Great Lakes-Va

Habitat: lake edges, mossy stream edges, damp/mossy clearings, sandy/gravelly beaches, waterfall margins, sandy granite points

Status: Rare


NSM Collections:

Specimen No:

Locality: Martinique Beach,
East Petpeswick,
Halifax County


Coll. Date: 07/05/55

Collector(s): D. Erskine




Name: *Calamagrostis cinnoides* (Muhl.) Bart.
Reference: Argus & Pryer 1990, Maher et al. 1978
Range: NS; La-Ga-Me
Habitat: damp sandy/peaty soils
Status: Canadian Priority: 4
Comment: Map unavailable at present.

NSM Collections: None



Name: *Calamagrostis inexpansa* Gray
Reference: Maher et al. 1978
Range: Alas-NWT, BC-Lab; s to Cal and Va
Habitat: wet cliff faces
Status: Rare
Comment: Map unavailable at present.

NSM Collections: None



Name: *Calamagrostis neglecta* (Ehrh.) Gaertn., Mey & Schreb.

Reference: Maher et al. 1978


Range: Alas-NWT, BC-Lab; s to Ore and Colo,
Great Lakes, New England

Habitat: marshes, shores, larch bogs, swales,
fresh to brackish marshes, lakes

Status: Rare

Comment: Map unavailable at present.

NSM Collections: None



Name: *Caltha palustris* L.

Reference: Maher et al. 1978

Range: NWT, Alt-Nfld; S Dak, Great Lakes-SC

Habitat: swales, wet river edges, swamps, marshes, *Alnus* B. Ehrh. thickets near springs, wet meadows/pastures/intervales, roadsides, meadow ditches

Status: Rare

NSM Collections:

Specimen No:

Locality: Terre Noire,
lower Margaree,
Inverness County

Coll. Date: unknown

Collector(s): K.N.H. Greenridge

Specimen No: 14283


Locality: Inverness, Inverness County

Coll. Date: 06/03/56

Collector(s): E.C. Smith, P.A. Bentley,
A.C. MacDonald

Centamine pratensis
 L. var. *gelusina* Wimm.
 S. Grub.

Specimen No: Locality: Coll. Date: Collector(s):	75-04 Inverness, Inverness County 06/04/75 P.R. Shute, J. Gilhen	Specimen No: Locality: Coll. Date: Collector(s):	Cheticamp, south of, Inverness County 08/01/50 E.C. Smith and party, J.S. Erskine
Specimen No: Locality: Coll. Date: Collector(s):	Merigomish Point, Merigomish Island (Big Merigomish Island), Pictou County 07/28/91 D.S. Davis	Specimen No: Locality: Coll. Date: Collector(s):	Margaree Harbour and Margaree Forks, between, Inverness County 05/29/61 P.M. Taschereau



Name: *Cardamine pratensis* L. var. ***palustris*** Wimm. & Grab.
Reference: Maher et al. 1978
Range: NWT, BC-Que, NS-Lab; Great Lakes-Va
Habitat: wet calcareous meadows
Status: Rare
Comments: A native variety with large flowers; petals 8-12mm long; nearly white in contrast to the purplish tinge found in flowers of the common introduction from Europe.


NSM Collections: None

Carex educta Boott.

Name: *Carex educta* Boott.
Reference: Maher et al. 1978
Range: BC-NS, NS-Md; Great Lakes and New England
Habitat: among disturbed rocks by roadsides, dry open areas.
Status: Rare

Herb. Collections:

Specimen #:	52483
Locality:	Nalle Harbour, Victoria County
Date Collected:	07/19/67
Collector(s):	J.S. Erskine



Name: *Carex adusta* Boott.

Reference: Maher et al. 1978


Range: BC-NB, NS-Nfld; Great Lakes and New England

Habitat: among disturbed rocks by roadsides, dry open areas

Status: Rare

NSM Collections:

Specimen No:	52483
Locality:	Neils Harbour, Victoria County
Coll. Date:	07/19/52
Collector(s):	J.S. Erskine




Name: *Carex atlantica* Bailey ssp. *capillacea* (Bailey) Reznicek
Reference: Argus & Prysor 1990, Reznicek & Ball 1980
Range: Ont-Que, NS; Ark-Mich-Fla-Me
Habitat: dry gravel on road shoulders, bogs, swamps, small pools, boggy swales and thickets, hummocky pastures
Status: Canadian Priority: 2

NSM Collections:

Specimen No: V556 Locality: Louisbourg, Cape Breton County Coll. Date: 07/14/86 Collector(s): V. Lloyd	Specimen No: 50264 Locality: Beaverdam Lake, Shelburne County Coll. Date: 07/08/50 Collector(s): J.S. Erskine
Specimen No: 53.679 Locality: St. Paul Island, northeast, Victoria County Coll. Date: 08/12/53 Collector(s): J.S. Erskine	Specimen No: 56.534 Locality: Big Tusket Island, Yarmouth County Coll. Date: 08/10/56 Collector(s): J.S. Erskine

Carex strictiformis
Burm.

Specimen No: 50616 Locality: Mary Ann River (Mary Ann Brook), near fire trail, Victoria County Coll. Date: 07/29/50 Collector(s): J.S. Erskine	Specimen No: 20349 Locality: Lily Lake, Yarmouth County Coll. Date: 07/13/20 Collector(s): M.L. Fernald, C.H. Bissell, A.S. Please, B. Long, D.H. Linder
Specimen No: 56.635 Locality: Mud Island (Mud Lake), Yarmouth County Coll. Date: 08/16/56 Collector(s): J.S. Erskine, D. Erskine	Specimen No: 56.635 Locality: Mud Island (Mud Lake), Yarmouth County Coll. Date: 08/16/56 Collector(s): J.S. Erskine, D. Erskine



Name: *Carex atratiformis* Britt.

Reference: Maher et al. 1978

Range: Ont-NB, NS-Lab; Mich and New England

Habitat: moist rock crevices, cliff faces

Status: Rare


NSM Collections:

Specimen No:	3226
Locality:	McAleses Brook, New Prospect, Cumberland County
Coll. Date:	06/28/53
Collector(s):	W.B. Schofield


Specimen No:	52.437
Locality:	Big Southwest Aspy (Big Southwest Brook), Inverness County
Coll. Date:	07/17/52
Collector(s):	J.S. Erskine

Carex bromoides
Schkuhr

Specimen No:	50583
Locality:	Aspy River (North Aspy River), near Inverness-Victoria County border
Coll. Date:	07/28/50
Collector(s):	E.C. Smith and party, J.S. Erskine



Name: *Carex bromoides* Schkuhr
Reference: Maher et al. 1978
Range: Ont-NB, NS; Great Lakes-La and Fla
Habitat: alkaline regions in poorly drained soil, boggy swales,
 swampy woods, hillsides near limestone quarries, dryish
 swales near gypsum quarries, near salt springs
Status: Rare
NSM Collections: None



Name: *Carex capillaris* L.

Reference: Maher et al. 1978

Range: Alas-NWT, BC-NB, NS-Lab; s to Utah and Colo, Great Lakes, New England

Habitat: wet exposed headlands, cliffs

Status: Rare


NSM Collections:

Specimen No:	5168
Locality:	Cape d'Or, Cumberland County
Coll. Date:	07/25/54
Collector(s):	W.B. Schofield

Carex sartorii
Vahl

Specimen No:	50810	Specimen No:	11068
Locality:	South Blair River (Polletts Cove River), five miles above Polletts Cove, Inverness County	Locality:	Big Southwest Brook, seven miles north of, Inverness County
Coll. Date:	08/05/50	Coll. Date:	07/08/54
Collector(s):	E.C. Smith and party, J.S. Erskine	Collector(s):	E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley


NSM Collection			
Specimen No:	51209	Locality:	Grindstone Glaciated Flats, Victoria County



Name: *Carex castanea* Wahlenb.
Reference: Maher et al. 1978
Range: Man-NB, NS-Nfld; Great Lakes and New England
Habitat: swamps at pond edges, seepy exposed slopes of cliff tops, damp cliffs, cliff crevices/ledges, wet meadows
Status: Rare
Comments: Map based on Acadia University Herbarium collections 1950-1953.

NSM Collections:

Specimen No:	31209
Locality:	Grisborne (Gisborne) Flowage, Victoria County
Coll. Date:	07/04/92
Collector(s):	P.M. Catling, V.R. Catling



Name: *Carex comosa* Boott.

Reference: Maher et al. 1978


Range: BC, Ont-NB, NS; s to Cal, S Dak-Tex and Fla

Habitat: swales, roadsides behind dykes, pond edges

Status: Rare

NSM Collections:

Specimen No: Locality: Coll. Date: Collector(s):	5155 Advocate, Cumberland County 07/24/54 W.B. Schofield	
Specimen No: Locality: Coll. Date: Collector(s):	Aylesford-Berwick road, Kings County 09/10/49 J.S. Erskine, W. Schofield	



Name: *Carex crinita* Lam. var. *simulans* Fern.

Reference: Maher et al. 1978


Range: Ont-Nfld; New England

Habitat: damp soil beside streams, woodlands

Status: Rare

NSM Collections:

Specimen No:	53.629
Locality:	St. Paul Island, north of wireless station, Victoria County
Coll. Date:	08/15/53
Collector(s):	J.S. Erskine



Name: *Carex eburnea* Boott.

Reference: Maher et al. 1978

Range: Alas-NWT, BC-NB, NS-Nfld; Tex-Great Lakes and SC

Habitat: gypsum slopes under coniferous woods, gypsum outcrops/talus, marble cliffs


Status: Rare

NSM Collections:

Specimen No: Locality: Coll. Date: Collector(s):	20477 Port Bevis, Victoria County 08/27/20 M.L. Fernald, B. Long	Specimen No: Locality: Coll. Date: Collector(s):	52.457 Big Southwest Aspy (Big Southwest Brook), Inverness County 07/17/52 J.S. Erskine
---	--	---	--

Ginkgo Biloba L. var.
lepidocarpa (Tausch.)
Gopr.

Specimen No: 51.690 Locality: Antigonish Harbour, Antigonish County Coll. Date: 08/02/51 Collector(s): J.S. Erskine	Specimen No: 55.564 Locality: "Hayes Siding," Hants County Coll. Date: 07/27/55 Collector(s): J.S. Erskine, D.S. Erskine
Specimen No: 56.382 Locality: Plaster Quarry (Plaister Mines), Victoria County Coll. Date: 07/23/56 Collector(s): J.S. Erskine, E.C. Smith and party	



Name: ***Carex flava* L. var. *lepidocarpa* (Tausch.) Godr.**


Reference: Maher et al. 1978

Range: Que-Nfld

Habitat: bogs, calcareous swamps


Status: Rare

NSM Collections: None



Name: *Carex gynocrates* Wormsk.
Alternate Name(s): *C. dioica* L. var. *gynocrates* (Wormsk.) Hult.
Reference: Maher et al. 1978
Range: Alas-NWT, BC-NB, NS-Lab; Mont and Great Lakes
Habitat: sphagnum bogs
Status: Rare

NSM Collections: None



Name: *Carex hystricina* Muhl.

Reference: Maher et al. 1978


Range: BC-Nfld; s to Cal and Tenn

Habitat: swales, swamps, woods by rivers, swampy pastures by brooks, along brook gullies in alder thickets

Status: Rare

NSM Collections:

Specimen No: 50415 Locality: Cambridge Station, Kings County Coll. Date: 07/22/50 Collector(s): J.S. Erskine, D.S. Erskine	Specimen No: Locality: Amherst and Truemanville, Route 6 between, Cumberland County Coll. Date: 07/22/56 Collector(s): D. Erskine
Specimen No: 56.034 Locality: Pereaux, Kings County Coll. Date: 06/27/56 Collector(s): J.S. Erskine, D.S. Erskine	



Name: ***Carex laxiflora* Lam. var. *laxiflora***

Reference: Maher et al. 1978


Range: Ont-Que, NS; Wis-Me-NC

Habitat: damp clearings and open rocky woods, maple woods


Status: Rare

NSM Collections:

Specimen No:	54.521
Locality:	Blomidon, Kings County
Coll. Date:	07/04/54
Collector(s):	J.S. Erskine




Name: *Carex livida* (Wahlenb.) Willd. var. *radidaulis*
Alternate Name(s): *C. livida* (Wahlenb.) Willd. var. *grayana* (Dew.) Fern.
Reference: Maher et al. 1978
Range: Alas-NWT, BC-Lab; Cal, Great Lakes-NJ
Habitat: borders of wet quaking mats of *Typha* L.
 and H₂S marshes , bogs
Status: Rare
NSM Collections: None




Name: *Carex longii* Mackenzie
Reference: Argus & Pryer 1990
Range: Ont, NS; Tex-Wis-Fla-Me
Habitat: wet or damp sandy, argillaceous/peaty soils
Status: Canadian Priority: 2
Comments: Map based on Fernald specimens at Taylor University, Indiana, U.S.A. (Paul Rothrock 1988)

NSM Collections: None



Name: *Carex miliaris* Michx.
Alternate Name(s): *C. saxatilis* L. var. *miliaris* (Michx.) Bailey
Reference: Maher et al. 1978
Range: Man-NB, NS-Lab; New England
Habitat: wet beaches, along brooks, peaty/gravelly damp soils
Status: Rare

NSM Collections: None



Name: *Carex pedunculata* Muhl.

Reference: Maher et al. 1978

Range: BC, Sask-NB, NS-Nfld; s to S Dak and Ga

Habitat: basalt talus, under hardwood, river edges, banks above gypsum cliffs, granite ledges

Status: Rare


NSM Collections:

Specimen No: 53.006 Locality: Blomidon, Kings County Coll. Date: 04/25/53 Collector(s): J.S. Erskine, W.B. Schofield	Specimen No: 53.010 Locality: Cape Split, Kings County Coll. Date: 05/18/53 Collector(s): J.S. Erskine
Specimen No: 55.546 Locality: Cornwallis River, Cambridge, Kings County Coll. Date: 05/23/51 Collector(s): D.S. Erskine	Specimen No: 55.546 Locality: "Hayes Siding," Hants County Coll. Date: 07/27/55 Collector(s): J.S. Erskine, D.S. Erskine

Carex plantaginea
Lam.


Specimen No:	602	<i>Carex plantaginea</i> Lam.
Locality:	Pathend Brook, Victoria County	Marlboro Co., SC
Coll. Date:	08/23/56	Lakes-Ala, SC
Collector(s):	D.H. Webster	Hardwood bluffs, rich deciduous woods

NEM Collection: None



Name: *Carex plantaginea* Lam.
Reference: Maher et al. 1978
Range: Ont-NB, NS; Great Lakes-Ala, SC
Habitat: dry hardwood hillsides, rich deciduous woods
Status: Rare

NSM Collections: None



Name: *Carex scirpoidea* Michx.

Reference: Maher et al. 1978

Range: Alas-NWT, BC-Que, NS-Lab; Colo, Great Lakes

Habitat: seepy ledges of cliffs, damp cliffs/shores, dry/wet cliffs, ledges/crevices, cliff faces

Status: Rare

NSM Collections:

Specimen No:	11287
Locality:	Big Intervale, Inverness County
Coll. Date:	07/13/54
Collector(s):	E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley


Specimen No:	7754
Locality:	LeBlanc Brook, Cheticamp River, Inverness County
Coll. Date:	07/08/53
Collector(s):	E.C. Smith, J.C. Taylor, D.H. Webster, L.B. Slipp

Carex tuckermanii
Boott.

Specimen No:	8135
Locality:	Indian Brook, 3 miles from mouth of, Victoria County
Coll. Date:	07/17/53
Collector(s):	E.C. Smith, J.C. Taylor, D.H. Webster, L.B. Slipp

Specimen No:	6362
Locality:	Wallace River, Wentworth, Cumberland County
Coll. Date:	07/05/53
Collector(s):	W.B. Schofield


Specimen No:	60384
Locality:	Seaside Corner, northeast of, Hants County
Coll. Date:	07/20/53
Collector(s):	J.S. Braine, D.S. Eshlim




Name: *Carex tuckermani* Boott.
Reference: Maher et al. 1978
Range: Ont-NB, NS; Minn-la-Pa
Habitat: meadow swales, small swales by wood roads
Status: Rare

NSM Collections:

Specimen No:	5352	
Locality:	Wallace River, Wentworth, Cumberland County	
Coll. Date:	08/05/54	
Collector(s):	W.B. Schofield	
Specimen No:	50384	
Locality:	Sweets Corner, northeast of, Hants County	
Coll. Date:	07/20/50	
Collector(s):	J.S. Erskine, D.S. Erskine	



Name: *Carex viridula* Michx. var. *saxilitoralis*
 (A. Robertson) Crins
Alternate Name(s): *C. saxilitoralis* A. Robertson
Reference: Argus & Prysor 1990, Crins & Ball 1989
Range: NS, Nfld
Habitat: calcareous gravel/limestone pavements,
 foggy/salty sea spray zones
Status: Canadian Priority: 3
Comments: Endemic to Brier Island, Digby County and
 Newfoundland.
NSM Collections: None




Name: *Caulophyllum thalictroides* (L.) Michx.
Reference: Maher et al. 1978
Range: Man-NB, NS; ND-Kan, SC
Habitat: rich woods, intervals, alluvial soil,
ash thickets along rivers, high brook embankments
Status: Rare

NSM Collections:

Specimen No: Locality: Kemptown, Colchester County Coll. Date: 08/10/90 Collector(s): A. Wilson	Specimen No: 50430 Locality: Cambridge Station, Kings County Coll. Date: 07/22/50 Collector(s): J.S. Erskine, D.S. Erskine
Specimen No: Locality: Meander River, Smileys Provincial Park, Hants County Coll. Date: 05/31/77 Collector(s): A. Wilson	Specimen No: Locality: Meander River, upstream from Route 215, Hants County Coll. Date: 06/07/84 Collector(s): A. Wilson


*Centunculus
minimus L.*

Specimen No: 14 Locality: Kemptown, Colchester County Coll. Date: 06/04/47 Collector(s): H.P. Bell, R. Bidwell, S. Mason, A.E. Roland	Specimen No: 55.1208 Locality: Elgin, Pictou County Coll. Date: 08/28/55 Collector(s): J.S. Erskine
Specimen No: 4080 Locality: Salmon River, Kemptown, Colchester County Coll. Date: 05/31/51 Collector(s): E.C. Smith, D. Erskine, D.R. Sampson, F.C. Bent	Specimen No: 53.018 Locality: Cambridge Station, Kings County Coll. Date: unknown Collector(s): W.B. Schofield, J.S. Erskine



Name: *Centunculus minimus* L.
Reference: Maher et al. 1978
Range: BC-Sask, NS; widespread US
Habitat: bare sand flats which are occasionally flooded by the sea
Status: Rare

NSM Collections: None



Name: *Cephalanthus occidentalis* L.

Reference: Maher et al. 1978


Range: Ont-NB, NS; Cal, Tex-Great Lakes-Fla

Habitat: shorelines, swale, rocky lake shores

Status: Rare

NSM Collections:

<p>Specimen No: Locality: Ponhook Lake, Queens County Coll. Date: 08/06/87 Collector(s): A. Wilson, L. Martin</p>	<p>Specimen No: 56.745 Locality: Beartrap Lake, Queens County Coll. Date: 08/27/56 Collector(s): J.S. Erskine</p>
<p>Specimen No: 51.1510 Locality: Mill Village, Queens County Coll. Date: 07/14/55 Collector(s): J.S. Erskine</p>	<p>Specimen No: 45.936 Locality: Beartrap Lake, above Middlefield, Queens County Coll. Date: 08/01/45 Collector(s): W.G. Dore, E. Gorham</p>



Name: *Clethra alnifolia* L.

Reference: Argus & Prysor 1990, Maher et al. 1978

Range: NS; Tex-Fla-Me

Habitat: shorelines of lakes

Status: Canadian Priority: 2 (COSEWIC: Threatened, 1986)

NSM Collections:

Specimen No:	373
Locality:	Belliveau Lake, Digby County
Coll. Date:	10/12/68
Collector(s):	P.M. Taschereau, R.L. Belliveau


Specimen No:	627
Locality:	McNabs Island, Halifax County
Coll. Date:	October 1970
Collector(s):	P.M. Taschereau

Gaeckeaedum viride
(L.) Hartmann sub-
brachiatum (Muell.)
Muell.

Specimen No: Locality: Coll. Date: Collector(s): Status:	Belliveau Lake, west shore of, at end of long bay, Digby County 07/21/85 P.A. Keddy, I.C. Wisheu, P. McLennan	Specimen No: Locality: Coll. Date: Collector(s):	Louis Lake, north shore of, Yarmouth County 08/25/87 P.A. Keddy, I.C. Wisheu, P. Fricker, C.R.K. Allen, M. Nicherson, P. Hayes, C. Jacquard
--	---	---	---

W.E. Collection

Specimen No: Locality: Coll. Date: Collector(s):	SE 3679 Delta River, west central. Antrim County 08/10/87 J.S. Entwistle
---	--



Coeloglossum viride
(L.) Hartmann ssp.
***bracteatum* (Muhl.)**
Hult.

Name: *Coeloglossum viride* (L.) Hartmann ssp.
bracteatum (Muhl.) Hult.

Alternate Name(s): *Habenaria viridis* (L.) R.Br. var. *bracteata* (Muhl.) Gray,
C. viride (L.) Hartmann var. *virescens* (Muhl.) Luer

Reference: Maher et al. 1978


Range: Alas, NWT, BC-NB, NS-Nfld; Wash, Mont-N Mex-SC-Me

Habitat: rich moist woods, settled dunes

Status: Rare

NSM Collections:

Specimen No:	52.679
Locality:	Sable Island, west central, Atlantic Ocean
Coll. Date:	08/05/52
Collector(s):	J.S. Erskine



Name: *Comandra richardsiana* Fern.

Reference: Maher et al. 1978

Range: Man-Lab; Okla-Ky-Vt

Habitat: exposed coastal areas, sandy areas in open coniferous woods, damp sandy soils, among grasses and *Empetrum nigrum* L. on exposed headlands, under spruce on sand dunes, pond edges

Status: Rare

NSM Collections:

Specimen No:	52.376
Locality:	South Pond (South Harbour), Aspy Bay, Victoria County
Coll. Date:	07/13/52
Collector(s):	J.S. Erskine

Locality: Pomquet Beach Provincial Park, Antigonish County

Coll. Date: 06/08/84

Collector(s): A. Wilson

Specimen No:	52.376
Locality:	South Pond (South Harbour), Aspy Bay, Victoria County
Coll. Date:	07/13/52
Collector(s):	J.S. Erskine


Locality: Aspy Bay, Victoria County

Coll. Date: 07/13/52

Collector(s): J.S. Erskine


*Conopholis
americana (L.) Willd.*

Specimen No:	4339	Specimen No:	
Locality:	Black Point, Victoria County	Locality:	South Pond (South Harbour),
Coll. Date:	07/06/51	Coll. Date:	Dingwall, Victoria County
Collector(s):	E.C. Smith, W.B. Schofield, D.R. Sampson, F.C. Bent	Collector(s):	07/12/62
			K.N.H. Greenidge



Name: *Conopholis americana* (L.) Wallr.
Reference: Maher et al. 1978
Range: Man-Que, NS; Great Lakes-Ala-Fla
Habitat: dry pine/oak woods, steep slopes
Status: Rare

NSM Collections: None




Name: *Coreopsis rosea* Nutt.
Reference: Argus & Prysor 1990, Maher et al. 1978
Range: NS; Ga-Mass
Habitat: gravelly/peaty shorelines, wet shores
Status: Canadian Priority: 1 (COSEWIC: Endangered, 1984)

NSM Collections:

<p>Specimen No: Locality: Wilsons Lake, northwest shoreline, Yarmouth County Coll. Date: 08/20/85 Collector(s): A. Wilson</p>	<p>Specimen No: 51.1410 Locality: Tusket Lake (Tusket River valley), Yarmouth County Coll. Date: 08/28/51 Collector(s): J.S. Erskine</p>
<p>Specimen No: Locality: Bennetts Lake, northeast shoreline, Yarmouth County Coll. Date: 07/20/83 Collector(s): A. Wilson</p>	<p>Specimen No: 51.1390 Locality: Pleasant Lake, Yarmouth County Coll. Date: 08/28/51 Collector(s): J.S. Erskine</p>

Corolla valentina L.

Specimen No: Locality: Coll. Date: Collector(s):	22859 Lake Vaughan, northwest side of, Yarmouth County 08/20/20 M.L. Fernald, C.H. Bissell, C.B. Graves, B. Long, D.H. Linder	Specimen No: Locality: Coll. Date: Collector(s):	22862 Butler Lake (Gavels Lake/Kings Lake), Gavelton, Yarmouth County 09/04/20 M.L. Fernald, B. Long, D.H. Linder
Specimen No: Locality: Coll. Date: Collector(s):	24687 Wilsons Lake, northwest shoreline, Yarmouth County 07/20/83 A. Wilson, B. Wright	Specimen No: Locality: Coll. Date: Collector(s):	St. John Lake (Bennetts Lake), Yarmouth County 07/23/21 M.L. Fernald, E.B. Bartram, B. Long



Name: *Cornus suecica* L.

Reference: Maher et al. 1978

Range: Alas, BC, Que, NS-Lab

Habitat: sphagnous depressions in barrens, dry headlands/sea-cliffs which are exposed to winds and salt spray from the ocean, small rocky coves, gravelly shores, amongst *Empetrum nigrum* L., sand, bare slopes, by runnels in barrens

Status: Rare


NSM Collections:

Specimen No:	3009
Locality:	Gooseberry Cove, Cape Breton County
Coll. Date:	07/10/87
Collector(s):	Z.E. Murrell, J.B. Murrell, M. Williams, R. Williams

Specimen No:	1544
Locality:	Tin Cove, Scatarie Island, Cape Breton County
Coll. Date:	07/27/84
Collector(s):	M. Williams


*Gretaequa
subnudis* Sarg

Specimen No: Locality: Coll. Date: Collector(s):	Port Mouton, Queens County 10/15/36 M.S. Brown	Specimen No: Locality: Coll. Date: Collector(s):	V103 Big Lorraine, Cape Breton County 06/11/84 V. Lloyd
Specimen No: Locality: Coll. Date: Collector(s):	53.795 Trinity Cove, St. Paul Island, Victoria County 08/13/53 J.S. Erskine	Specimen No: Locality: Coll. Date: Collector(s):	51.1137 Scatarie Island, Cape Breton County 08/17/51 J.S. Erskine



Name: *Crataegus submollis* Sarg.
Reference: Argus & Pryer 1990
Range: NB, NS; Minn and Ohio-Me
Habitat: wooded hillsides, open fertile ground
Status: Canadian Priority: 5

NSM Collections: None



Name: *Cryptogramma stellaris* (Gmel.) Prantl.

Reference: Maher et al. 1978

Range: Alas-YT, BC-Alta, Ont-NB, NS-Nfld; s to Ore-Colo-W Va-Me


Habitat: shaded calcareous cliffs, decayed timber in bogs

Status: Rare

NSM Collections:

Specimen No:	8672
Locality:	Skye Glen, mountain near, Inverness County
Coll. Date:	05/26/53
Collector(s):	E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp

Specimen No:	
Locality:	Windsor, east of college field (Kings-Edgehill School), Hants County
Coll. Date:	unknown
Collector(s):	H. How



Name: *Cuscuta cephalanthi* Engelm.

Reference: Argus & Prysor 1990


Range: Man-Ont, NB and NS; Wash-Cal-Ga-Me

Habitat: pebbly barrier beaches

Status: Canadian Priority: 2

NSM Collections:

Specimen No:	52.1336
Locality:	Queensland, Halifax County
Coll. Date:	10/06/52
Collector(s):	J.S. Erskine



Name:

Cynoglossum boreale Fern.

Reference:

Maher et al. 1978

Range:

BC-NB, NS-Nfld; Great Lakes-New England


Habitat:

woods and thickets, on gypsum, open beech woods
on dry soil

Status:

Rare


NSM Collections: None



Name: *Cyperus filiculmis* Vahl
Reference: Maher et al. 1978
Range: Ont-Que, NS; S Dak-Fla-Me
Habitat: wet sand, sandy beaches
Status: Rare

NSM Collections:

Specimen No:	11434
Locality:	Pomquet, Antigonish County
Coll. Date:	07/16/54
Collector(s):	E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley



Name: *Cypripedium arietinum* R. Br.

Reference: Maher et al. 1978

Range: Sask-Que, NS; Great Lakes and New England

Habitat: open woods over gypsum outcrops, gypsum sinkholes, thin poplar scrubs, shaded tops of gypsum cliffs

Status: Rare

NSM Collections:

Specimen No:	54.003
Locality:	Wentworth (Wentworth Creek), Hants County
Coll. Date:	05/24/54
Collector(s):	J.S. Erskine
Specimen No:	54.003
Locality:	Garlands Crossing, Hants County
Coll. Date:	06/06/88
Collector(s):	A. Wilson


Cypripedium
cochlearia L. var.
parviflorum (Clebs.)
 Fern.

Specimen No:	56.023	Specimen No:	54.014
Locality:	Ellershouse Brook (Ellershouse), St. Croix, Hants County	Locality:	Wentworth (Wentworth Creek), Hants County
Coll. Date:	05/26/56	Coll. Date:	06/05/54
Collector(s):	J.S. Erskine, D.S. Erskine	Collector(s):	J.S. Erskine

Other Collections:

Specimen No:	4039	Specimen No:	53.013
Locality:	Hillborough, Univ. County	Locality:	Kenneb. Seminary, Kenneb. County
Coll. Date:	05/25/53	Coll. Date:	07/11/53
Collector(s):	J.S. Erskine, D.S. Erskine, D.P. Sampson, F.C. Barr	Collector(s):	J.S. Erskine

Specimen No:	59.029	Specimen No:	53.013
Locality:	Wingert Road, Hants County	Locality:	Kenneb. Seminary, Kenneb. County
Coll. Date:	07/06/59	Coll. Date:	07/11/53
Collector(s):	C.B. Awood	Collector(s):	J.S. Erskine



Name: *Cypripedium calceolus* L. var. *parviflorum* (Salisb.) Fern.

Reference: Maher et al. 1978


Range: YT-NWT, BC-Nfld; s to Ariz and Ga

Habitat: dry open woods over gypsum, swamp land, mossy stream banks, meadows, shaded swamps, wooded gypsum cliffs

Status: Rare

NSM Collections:

Specimen No: 4039 Locality: Hillsborough, Inverness County Coll. Date: 05/26/51 Collector(s): E.C. Smith, D. Erskine, D.R. Sampson, F.C. Bent	Specimen No: 53.212 Locality: Kentville Sanctuary, Kings County Coll. Date: 07/11/53 Collector(s): J.S. Erskine
Specimen No: Locality: Coll. Date: Collector(s):	Newport Road, Hants County 07/04/29 C.E. Alwood



Name: *Cypripedium reginae* Walt.

Reference: Maher et al. 1978

Range: Sask-Nfld; Ariz-ND-Ga

Habitat: alkaline swamps, bogs above limestone quarries, swales, alder swamps by ponds


Status: Rare

NSM Collections:

<p>Specimen No: Locality: Coll. Date: Collector(s):</p> <p>51.896 Black River, near, Inverness County 08/12/51 J.S. Erskine</p>	<p>Specimen No: Locality: Coll. Date: Collector(s):</p> <p>52.393 St. Lawrence Bay, west of, Victoria County 07/14/52 J.S. Erskine</p>
	<p>Specimen No: Locality: Coll. Date: Collector(s):</p> <p>56.345 Tarbotvale, Victoria County 07/21/56 J.S. Erskine, E.C. Smith and party</p>

Cystopteris fragilis
(L.) Bernh. var.
hastulifera Wren

Specimen No:	53.151
Locality:	Upper Musquodoboit,
Coll. Date:	Halifax County
Collector(s):	07/01/53
	J.S. Erskine



Name: *Cystopteris fragilis* (L.) Bernh. var.
laurientiana Weath.


Reference: Maher et al. 1978

Range: Ont-Que, NS-Nfld; Great Lakes

Habitat: moist calcareous ledges/sinkholes,
calcareous rock/slopes

Status: Rare

NSM Collections: None



Name: *Decodon verticillatus* (L.) Ell. var. *laevigatus* T. & G.

Reference: Maher et al. 1978

Range: Ont-Que, NS; Great Lakes-Tenn-Va-Me

Habitat: shorelines, quaking peaty margins of ponds/lakes, sphagnum borders

Status: Rare


NSM Collections:

Specimen No:	79.118	Specimen No:	12119
Locality:	Roseway River, east branch, below Deception Lake, Shelburne County	Locality:	Philip Lake, Shelburne County
Coll. Date:	08/26/79	Coll. Date:	08/13/54
Collector(s):	M. Ella Roland, A.E. Roland	Collector(s):	E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley

*Dessmodium
canadense* (L.) DC.

Specimen No:	21953
Locality:	Clements Pond, Barrington, Shelburne County
Coll. Date:	08/09/20
Collector(s):	M.L. Fernald, B. Long, D.H. Linder

Specimen No:	Locality:	Specimen No:	Locality:
21953	Clements Pond, Barrington, Shelburne County	21954	Kajinkuk Lake, Kajinkuk National Park, Anegada County
Coll. Date:	08/09/20	Coll. Date:	08/06/20
Collector(s):	M.L. Fernald, B. Long, D.H. Linder	Collector(s):	J.S. Brinkley



Name: *Desmodium canadense (L.) DC.*

Reference: Maher et al. 1978


Range: Man-NB, NS; s to Okla and W Va

Habitat: rich moist open woods, sandy beach - high water line, river margins, upper portions of beach

Status: Rare

NSM Collections:

Specimen No:		Specimen No:	
Locality:	Jeremy Bay, Kejimkujik National Park, Annapolis County	Locality:	Kejimkujik Lake, Kejimkujik National Park, Annapolis County
Coll. Date:	10/16/88	Coll. Date:	08/06/68
Collector(s):	A. Wilson, P. Hope	Collector(s):	J.S. Erskine



Name: *Desmodium glutinosum* (Muhl.) Wood

Reference: Maher et al. 1978

Range: Ont-NB, NS; Tex-Minn-Fla-Me

Habitat: deciduous (beech) woods, terraces above rivers, river edges, limestone bluffs, hardwood second-growth in river gorge, gypsum bluffs, wood roads


Status: Rare

NSM Collections:

Specimen No: Locality: Coll. Date: Collector(s):	Gaspereau River, above White Rock, Kings County 08/21/49 J.S. Erskine, D.S. Erskine	Specimen No: Locality: Coll. Date: Collector(s):	Gaspereau Valley (Gaspereau River valley), Kings County 07/17/49 J.S. Erskine
---	---	---	---

-Diapensia
happenii L.

Specimen No: 53.294 Locality: Halfway River, Hants County Coll. Date: 07/20/53 Collector(s): J.S. Erskine	Specimen No: 57.031 Locality: White Rock, Kings County Coll. Date: 08/03/54 Collector(s): J.S. Erskine
Specimen No: 57.031 Locality: Gaspereau River, above Little River (Little River Lake), Kings County Coll. Date: 08/01/57 Collector(s): J.S. Erskine	



Name: *Diapensia lapponica* L.

Reference: Maher et al. 1978


Range: Alas, Man, Que, NS-Lab; NY and New England

Habitat: cool moist cliffs, dry shoulders of cliffs, high shoulders of river gorges above waterfalls, projecting shoulders and in crevices of cliff-slopes

Status: Rare


NSM Collections:

Specimen No:	52.319
Locality:	Upper Salmon River (Salmon River), Victoria County
Coll. Date:	07/09/52
Collector(s):	J.S. Erskine



Name: *Dichanthelium meridionale* (Ashe) Freckmann
Alternate Name(s): *Panicum meridionale* Ashe
Reference: Argus & Pryer 1990, Maher et al. 1978
Range: Ont, NS; Great Lakes-Ala-Mass
Habitat: dry open places, thin woods
Status: Canadian Priority: 3

NSM Collections: None



Name: *Dirca palustris* L.

Reference: Maher et al. 1978


Range: Ont-NS; Great Lakes-La, Fla

Habitat: spruce woods by chimneys (network of sinkholes) of gypsum, rich deciduous mixed woods

Status: Rare

NSM Collections:

Specimen No:	51.327
Locality:	Newport, Hants County
Coll. Date:	07/25/51
Collector(s):	J.S. Erskine, R. Erskine



Name: *Draba arabisans* Michx.

Reference: Maher et al. 1978

Range: Ont-Nfld; Great Lakes-Me

Habitat: cliff ledges/crevices/tops, talus slopes, damp scree, rich hardwood slopes, schist cliffs, marble cliffs, shaded thickets on boulder talus

Status: Rare

NSM Collections:


Specimen No:	53.484
Locality:	Indian Brook, Victoria County
Coll. Date:	08/08/53
Collector(s):	J.S. Erskine

Specimen No:	8144
Locality:	Indian Brook, Victoria County
Coll. Date:	07/17/53
Collector(s):	E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp

<p>Specimen No: 11142</p> <p>Locality: Cape St. Lawrence, Inverness County</p> <p>Coll. Date: 07/11/54</p> <p>Collector(s): E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley</p>	<p>Specimen No: 11310</p> <p>Locality: Skye Glen Mountain (Skye Mountain), Inverness County</p> <p>Coll. Date: 07/14/54</p> <p>Collector(s): E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley</p>
<p>Specimen No: 3150</p> <p>Locality: New Prospect, Cumberland County</p> <p>Coll. Date: 06/26/53</p> <p>Collector(s): W.B. Schofield</p>	<p>Specimen No: 5199</p> <p>Locality: Refugee Cove, Cumberland County</p> <p>Coll. Date: 06/26/54</p> <p>Collector(s): W.B. Schofield, P.A. Bentley</p>

Crab glaberrima Pursh


Specimen No: Locality: Coll. Date: Collector(s):	52.307 Upper Salmon River (Salmon River), Victoria County 07/09/52 E.C. Smith	Specimen No: Locality: Coll. Date: Collector(s):	52.463 Big Southwest Aspy River (Big Southwest Brook), Inverness County 07/17/52 J.S. Erskine, B. Boivin
Specimen No: Locality: Coll. Date: Collector(s):	52.365 Blomidon, Kings County 05/24/53 W.B. Schofield	Specimen No: Locality: Coll. Date: Collector(s):	Burnt Mountain (Burnt Head), Grey Glen (Grays Hollow Brook), Cape North, Victoria County 07/12/52 J.S. Erskine




Name: *Draba glabella* Pursh
Alternate Name(s): *Draba hirta* auct.
Reference: Maher et al. 1978
Range: Alas-NWT, BC-Alta, Man-NB, NS-Lab; Wyo and Colo
Habitat: cliff ledges, talus slopes, coniferous slopes, cliff
crevices, exposed cliff tops,
small moist rock outcrops
Status: Rare

NSM Collections:

Specimen No:	53.035
Locality:	Isle Haute, Cumberland County
Coll. Date:	unknown
Collector(s):	J.S. Erskine, W.B. Schofield




Name: *Draba glabella* Pursh var. *pycnosperma*
 (Fern. & Knowlton) Mulligan
Alternate Name(s): *D. hirta* L. var. *pycnosperma* (Fern. & Knowlton) Boivin
Reference: Argus & Prysor 1990
Range: Alaska-NW Terr, BC-Alta, Man-NB, NS-Labrador;
 Wyo and Colo
Habitat: dry cliff ledges
Status: Canadian Priority: 3
Comments: According to Roland & Smith 1969 page 406,
Draba hirta L. var. *pycnosperma*
 (Fern. & Knowlton) Boivin is found at only one
 location in the Province: Victoria County.
NSM Collections: None



Name: *Draba norvegica* Gunn.
Reference: Maher et al. 1978
Range: NWT, Que, NS-Lab; Minn
Habitat: dry exposed limestone cliffs, rock crevices
Status: Rare

NSM Collections: None



Name: *Drosera filiformis* Raf.

Reference: Argus & Pryer 1990, Maher et al. 1978, Species Status Sheet

Range: NS; La-Fla-Mass

Habitat: wet bog depressions, in sphagnum

Status: Canadian Priority: 1 (COSEWIC: Endangered, 1991)

NSM Collections:


Specimen No: Locality: Coll. Date: Collector(s):	Port La Tour, near, Shelburne County 08/17/84 A. Wilson	Specimen No: Locality: Coll. Date: Collector(s):	West Baccaro, Shelburne County 08/17/84 A. Wilson
Specimen No: Locality: Coll. Date: Collector(s):	Swaines Road Bog (Swaines Cove), Barrington, Shelburne County 07/20/83 A. Wilson	Specimen No: Locality: Coll. Date: Collector(s):	Swaines Road Bog (Swaines Cove), Barrington, Shelburne County 07/24/77 J.J. Dowhan

Oreopeltis fragrans
Schott

Specimen No:	245	<i>Oreopeltis fragrans</i> Schott
Locality:	Swaines Road (Swaines Cove), Barrington, Shelburne County	Great Lakes and New England Rock-face above falls, along streams
Coll. Date:	08/04/80	
Collector(s):	M. Ella Roland, A.E. Roland here	

Collection no.

Collection no.	Specimen No.	Locality	Specimen No.	Locality
119	6843	Wick Cove, Victoria County 07/16/83 E.C. Smith, W.B. Schultze, J.C. Taylor, D.H. Webster, L.B. Wolfe	119	68,129 Highith Mountain (Franky Mountain), Victoria County 07/14/83 J.S. Eshkin, D. Webster



Name: *Dryopteris fragrans* (L.) Schott.

Reference: Maher et al. 1978

Range: Alas-NWT, BC-NB, NS-Lab; Great Lakes and New England

Habitat: cool dry cliffs/crevices, rock-face above talus, along streams or waterfalls

Status: Rare

NSM Collections:


Specimen No: 8043 Locality: Wreck Cove, Victoria County Coll. Date: 07/16/53 Collector(s): E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp	Specimen No: 56.129 Locality: Ingonis Mountain (Franey Mountain), Victoria County Coll. Date: 07/14/56 Collector(s): J.S. Erskine, D. Webster
---	--

Eleocharis nitida Fern.

Specimen No:	3225	Collection No:	1576
Locality:	McAlee Brook, New Prospect, Cumberland County	Locality:	C-Hill, at 10 in burn-over area, on soils derived from rock, more soil, wood ashes over loam
Coll. Date:	06/28/53	Coll. Date:	08/26/54
Collector(s):	W.B. Schofield	Collector(s):	P.A. Hamley

1954 Collections

Specimen No:	82-1443	Specimen No:	1817
Locality:	Elkin Lake, Atalanta County	Locality:	Cape d'Or, Cumberland County
Coll. Date:	05/12/54	Coll. Date:	08/26/54
Collector(s):	J.G. Shantz, W.B. Schofield	Collector(s):	W.B. Schofield, P.A. Hamley



Name: *Eleocharis nitida* Fern.

Reference: Maher et al. 1978

Range: Alas-NWT, BC-Nfld; s to NH

Habitat: damp woodland roadside, in burnt-over areas, on soils derived from volcanic rock, moist soil, wood roads over basalt

Status: Rare


NSM Collections:

Specimen No:	52.1441
Locality:	Elliott Lake, Annapolis County
Coll. Date:	09/13/?
Collector(s):	J.S. Erskine, W.B. Schofield

Specimen No:	4817
Locality:	Cape d'Or, Cumberland County
Coll. Date:	06/25/54
Collector(s):	W.B. Schofield, P.A. Bentley

Eleocharis olivacea
Torr.

Specimen No: 4949 Locality: Economy Mountain, Colchester County Coll. Date: 07/21/54 Collector(s): W.B. Schofield	Specimen No: 8596 Locality: Scatarie Island, south coast, Cape Breton County Coll. Date: 07/22/53 Collector(s): E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp
Specimen No: 3308 Locality: Cape Split, Kings County Coll. Date: 07/04/53 Collector(s): W.B. Schofield	



Name: *Eleocharis olivacea* Torr.

Reference: Maher et al. 1978


Range: Ont-Que, NS; Great Lakes-Fla

Habitat: wet sandy/peaty shores, on muck at edge of cat-tail swales, peaty muck of bogs

Status: Rare

NSM Collections:

Specimen No:	13144
Locality:	Pinevale, Antigonish County
Coll. Date:	08/29/54
Collector(s):	E.C. Smith, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley



Name: *Eleocharis rostellata* (Torr.) Torr.

Reference: Argus & Pryer 1990, Maher et al. 1978

Range: BC, Ont, NS; Wash-Cal-Fla-Me

Habitat: saline/brackish marshes, grassy tidal margins, brackish swales, tidal marshes

Status: Canadian Priority: 2

NSM Collections:


Specimen No: 12065 Locality: Tusket River, Pleasant Lake, Yarmouth County Coll. Date: 08/12/54 Collector(s): E.C. Smith, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley	Specimen No: 54.1348 Locality: Comeau Hill Road (Comeaus Hill), Yarmouth County Coll. Date: 08/16/54 Collector(s): J.S. Erskine
--	--

Eleocharis
tuberculosa (Michx.)
 Roemer & Schultes

Specimen No: 54.1340 Locality: Argyle Head, Yarmouth County Coll. Date: 08/15/54 Collector(s): J.S. Erskine	Specimen No: 55.459 Locality: Goose Creek, Shelburne County Coll. Date: 07/17/55 Collector(s): J.S. Erskine
Specimen No: 20167 Locality: Tusket, Yarmouth County Coll. Date: 07/31/20 Collector(s): M.L. Fernald, D. White	According to Svenson (1960), two forms of <i>E. tuberculosa</i> (Michx.) R. & S. were described: <i>forma retrorsa</i> Svenson and <i>forma pubescens</i> Svenson. <i>forma pubescens</i> was known only from Great Pubnico Lake, Yarmouth County. According to Kottke & Kottke (1980), the variety <i>pubescens</i> (Fern.) Svenson is no longer accepted as a subspecific entity.

NSM Collections:

Specimen No: 20165 Locality: Great Pubnico Lake, Yarmouth County Coll. Date: 10/06/20 Collector(s): M.L. Fernald, B. Long, D.J. Underhill	Specimen No: 12100 Locality: Great Pubnico Lake, Yarmouth County Coll. Date: 05/19/54 Collector(s): E.C. Smith, W.B. Shufeldt, J.D. Taylor, D.H. Webster, L.B. Stipp, P.A. Stanley
--	--



Name: *Eleocharis tuberculosa* (Michx.) Roemer & Schultes
Reference: Argus & Pryer 1990, Maher et al. 1978
Range: NS; Tex-Fla-Me
Habitat: sandy and peaty shorelines, boggy lake margins
Status: Canadian Priority: 4
Comments: Roland & Smith 1969, page 138, identifies two forms of *Eleocharis tuberculosa* (Michx.) R. & S.: forma *retrorsa* Svenson and forma *pubnicoensis* (Fern.) Svenson. Forma *pubnicoensis* (Fern.) Svenson is known only from Great Pubnico Lake, Yarmouth County. According to Kartesz & Kartesz 1980, the variety *pubnicoensis* (Fern.) Svenson is no longer accepted as a subspecific entity.

NSM Collections:

Specimen No: Locality: Coll. Date: Collector(s):	20163 Great Pubnico Lake, Yarmouth County 10/06/20 M.L. Fernald, B. Long, D.H. Linder	Specimen No: Locality: Coll. Date: Collector(s):	12100 Great Pubnico Lake, Yarmouth County 08/12/54 E.C. Smith, W.b. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley
---	--	---	--


Elymus hystrix L.

Specimen No.: 51.1441

Locality: Great Pubnico Lake,
Yarmouth County


Coll. Date: 08/29/51

Collector(s): J.S. Erskine



Name: *Elymus hystrix* L.
Reference: Maher et al. 1978
Range: Man-NB, NS; ND-Okla and Ga
Habitat: wooded intervals
Status: Rare

NSM Collections: None




Name: *Elymus wiegandii* Fern.
Alternate Name(s): *E. canadensis* L. var. *wiegandii* (Fern.) Boivin
Reference: Maher et al. 1978
Range: Sask-NB, NS; s to Mo and Pa
Habitat: alluvial soil
Status: Rare

NSM Collections:

Specimen No:	53.430
Locality:	Alma, Pictou County
Coll. Date:	08/06/53
Collector(s):	J.S. Erskine

Specimen No:	11677
Locality:	River John, Pictou County
Coll. Date:	07/28/54
Collector(s):	E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley



Name: *Empetrum eamesii* Fern & Wieg.
Alternate Name(s): *E. nigrum* L. var. *eamesii* (fern. & Wieg.) Boivin
Reference: Maher et al. 1978
Range: Que, NS-Lab
Habitat: barrens and exposed granite headlands along the coast on top of rocks with thin soil and with lichens
Status: Rare

NSM Collections:

Specimen No: 45.526 Locality: Halibut Cove (Halibut Bay), Halifax County Coll. Date: 07/13/45 Collector(s): W.G. Dore, H.A. Senn, E. Gorham	Specimen No: 50831 Locality: Mary Ann Trail (Mary Ann Brook), Victoria County Coll. Date: 08/09/50 Collector(s): E.C. Smith and party, J.S. Erskine
--	---

Epilegium nesophilum


Fern var. *nesophilum*

Fern

Name:


Epilegium nesophilum Fern var. *nesophilum* Fern.

Specimen No: Locality: Coll. Date: Collector(s):	Due No. Nid Herring Cove, Halifax County 08/21/55 J. MacNeill	Specimen No: Locality: Coll. Date: Collector(s):	Peggys Cove, Halifax County 10/18/28 M.S. Brown
Specimen No: Locality: Coll. Date: Collector(s):	52.505 Indian Rising, near, Ingonish, Victoria County 07/21/52 J.S. Erskine	Specimen No: Locality: Coll. Date: Collector(s):	Sandwich Battery (Sandwich Point), Halifax County 05/15/49 Cameron, Livingstone




Name: *Epilobium nesophilum* Fern. var. *nesophilum* Fern.
Reference: Maher et al. 1978
Range: Que, NS-Nfld
Habitat: marshes, bogs, swamps
Status: Rare
Comments: Map based on records from Fernald, in Roland & Smith 1969 page 528. No specimens in Nova Scotia herbaria.

NSM Collections: None



Epilobium nesophilum
Fern. var. *sabulonense*
Fern.

Name: *Epilobium nesophilum* Fern. var. *sabulonense* Fern.
Alternate Name: *E. leptophyllum* Raf.
Reference: Maher et al. 1978
Range: NS
Habitat: shores of freshwater ponds
Status: Rare
Comments: According to Roland & Smith 1969, *sabulonense* Fern. is the only variety found on Sable Island and has, as yet, not been found elsewhere.
NSM Collections: None



Name:

Equisetum variegatum Schleich.

Reference:

Maher et al. 1978

Range:

Alas-NWT, BC-NB, NS-Lab; Colo, Wis-Pa

Habitat:

old gold mine tailings and gypsum quarries,
alkaline ditches and shorelines

Status:

Rare


NSM Collections:

Specimen No:

Locality: Oldham, Halifax County

Coll. Date: 08/20/92

Collector(s): Mike Crowell



Name: *Erigeron hyssopifolius* Michx.

Reference: Maher et al. 1978

Range: NWT, Alta-NB, NS-Nfld; Mich-NY-Me

Habitat: gypsum outcrops/talus/cliffs, river edge, rock faces, damp banks, ledges and cliff crevices

Status: Rare

NSM Collections:

Specimen No: Locality: Coll. Date: Collector(s):	58.042 Brierly Brook, Antigonish County 07/19/58 J.S. Erskine	Specimen No: Locality: Coll. Date: Collector(s):	52.342 Cape North, village, Victoria County 07/11/52 J.S. Erskine
Specimen No: Locality: Coll. Date: Collector(s):	55.561 South Maitland, Hants County 07/01/65 P.M. Taschereau	Specimen No: Locality: Coll. Date: Collector(s):	"Hayes Siding," Hants County 07/26/55 J.S. Erskine, D.S. Erskine

<p>Specimen No: 50778 Locality: Cape North, near corner, Victoria County Coll. Date: 08/04/50 Collector(s): E.C. Smith and party, J.S. Erskine</p>	<p>Specimen No: 22815 Locality: Five-Mile River, near, Hants County Coll. Date: 07/19/20 Collector(s): A.S. Pease, B. Long</p>
<p>Specimen No: 22816 Locality: Port Bevis, Victoria County Coll. Date: 08/27/20 Collector(s): M.L. Fernald, B. Long</p>	<p>Specimen No: Locality: Coll. Date: Collector(s):</p> <p>South Maitland, Hants County 08/12/67 P.M. Taschereau</p>

Eriophorum gracile
W.D.J. Koch

Name: *Eriophorum gracile* W.D.J. Koch

Specimen No.: 50579

Locality: Aspy River, BC-Lab., s to Galt-NJ

Blanks:

(North Aspy River),
near mouth of Southwest River
(Big Southwest Brook),
Victoria County

Coll. Date: 07/28/50


Collector(s): Smith, Collins, Bruce,
J.S. Erskine

Coll. Date:
Collector(s):

Kings County
07/11/51
J.S. Erskine

Specimen No.: 51149

Upper Economy,
Chichester County
07/18/51
J.S. Erskine



Name: *Eriophorum gracile* W.D.J. Koch

Reference: Maher et al. 1978

Range: Alas, NWT, BC-Lab; s to Cal-NJ


Habitat: cold bogs/swamps, near the coast, damp swales, swampy pools by roads

Status: Rare

NSM Collections:

Specimen No:	51.030
Locality:	New Canaan (Canaan), Kings County
Coll. Date:	07/11/51
Collector(s):	J.S. Erskine

Specimen No:	51.149
Locality:	Upper Economy River (Upper Economy), Colchester County
Coll. Date:	07/19/51
Collector(s):	J.S. Erskine



Name: ***Eupatorium dubium*** Willd.

Reference: Argus & Prysor 1990, Maher et al. 1978


Range: NS; Miss-Me

Habitat: rocky lakeshores, upper border of cobble beaches, swales

Status: Canadian Priority: 4

NSM Collections:

Specimen No: 22657 Locality: Salmon Lake, Greenville, Yarmouth County Coll. Date: 08/13/20 Collector(s): M.L. Fernald, B. Long, D.H. Linder	Specimen No: 54.1342 Locality: Salmon Lake, Pleasant Lake, Yarmouth County Coll. Date: 08/16/54 Collector(s): J.S. Erskine
Specimen No: 56.538 Locality: Frenchman Point, near, Big Tusket Island, Yarmouth County Coll. Date: 08/09/56 Collector(s): J.S. Erskine	Specimen No: 51.1421 Locality: Tusket River, near dam, Yarmouth County Coll. Date: 08/28/51 Collector(s): J.S. Erskine



Name: *Eupatorium rugosum* Houtt.

Reference: Maher et al. 1978

Range: Ont-NB, NS; s to Ala and Ga


Habitat: rich stream edges, small brooks, gravel

Status: Rare

NSM Collections:

Specimen No:	5210
Locality:	Refugee Cove, near, Cumberland County
Coll. Date:	07/26/54
Collector(s):	W.B. Schofield


Specimen No:	52.897
Locality:	Mill Brook, mouth of, West Advocate, Cumberland County
Coll. Date:	08/17/52
Collector(s):	J.S. Erskine



Name: *Euthamia galetorum* Greene
Alternate Name(s): *Solidago tenuifolia* Pursh var. *pycnocephala* Fernald,
Solidago galetorum (Greene) Friesner
Reference: Argus & Pryer 1990, Sieren 1981
Range: NS
Habitat: gently sloping sand/cobble beaches, shorelines,
 sandy/peaty/gravelly shores, swales, savannas,
 sandy roadsides, gravelly beaches
Status: Canadian Priority: 4
Comments: Endemic to lake shores of southern Nova Scotia

NSM Collections:

Specimen No:		Specimen No:	
Locality:	Wilsons Lake, northwest shoreline, Yarmouth County	Locality:	Pebblelogitch Lake, Kejimkujik National Park, Digby County
Coll. Date:	07/20/83	Coll. Date:	07/30/80
Collector(s):	A. Wilson	Collector(s):	C. Stewart, J. Dale




Name: *Euthamia tenuifolia* (Pursh) Nuttall
Alternate Name(s): *Solidago tenuifolia* Pursh var. *tenuifolia*
Reference: Maher et al. 1978, Sieren 1981
Range: NS; Va-Me
Habitat: damp/drying sandy pockets among cobblestones,
upper border of cobbly beaches,
peaty/cobbly/gravelly/sandy beaches of large lakes,
sandy roadsides
Status: Rare

NSM Collections:

Specimen No: 22729	Specimen No: 24615
Locality: Cedar Lake, upper beach, Digby County	Locality: Welstown Lake, Shelburne County
Coll. Date: 07/25/20	Coll. Date: 08/02/21
Collector(s): M.L. Fernald, R.C. Bean, D. White	Collector(s): M.L. Fernald, B. Long

<p>Specimen No: 22747 Locality: "Saller Lake," north of, Kemptville, Yarmouth County Coll. Date: 10/07/20 Collector(s): M.L. Fernald, D.H. Linder</p>	<p>Specimen No: 22739 Locality: Cedar Lake, Yarmouth County Coll. Date: 10/06/20 Collector(s): M.L. Fernald, D.H. Linder</p>
<p>Specimen No: 22748 Locality: Sloans Lake, Pleasant Valley, Yarmouth County Coll. Date: 08/20/20 Collector(s): M.L. Fernald, C.H. Bissell, C.B. Graves, B. Long, D.H. Linder</p>	<p>Specimen No: 22728 Locality: Cedar Lake, Yarmouth County Coll. Date: 07/25/20 Collector(s): M.L. Fernald, R.C. Bean, D. White</p>



Name: *Festuca obtusa* Biehler

Reference: Maher et al. 1978

Range: Man-Que, NS; s to Tex and Fla


Habitat: rich alluvial woods, hardwood slopes, among small trees, cliff bases

Status: Rare

NSM Collections:


Specimen No: 4763 Locality: New Prospect, Cumberland County Coll. Date: 06/24/54 Collector(s): W.B. Schofield, P.A. Bentley	
---	--

Specimen No: 5230 Locality: Cape Blomidon, Kings County Coll. Date: 07/31/54 Collector(s): W.B. Schofield, D.H. Webster	
---	--



Name: *Festuca prolifera* (Piper) Fern.
Reference: Maher et al. 1978
Range: Que, NS-Nfld; NH and Me
Habitat: wet slopes, dripping cliffs
Status: Rare
Comment: Map unavailable at present.

NSM Collections: None



Name: *Floerka proserpinacoides* Willd.

Reference: Maher et al. 1978

Range: Ont-Que, NS; ND-Mo, Del

Habitat: river margins, intervalle woods, ravine hardwoods, slow-moving water, rich meadows/woods, brook banks, wet spots in intervalle meadows, seepage on slopes, damp places, rich hardwood forests

Status: Rare


NSM Collections:

Specimen No:	13660
Locality:	Queensville, near, Victoria Road, Inverness County
Coll. Date:	06/03/55
Collector(s):	E.C. Smith, D.H. Webster, P.A. Bentley

Specimen No:	53.017
Locality:	Cambridge Station, Kings County
Coll. Date:	unknown
Collector(s):	W.B. Schofield, J.S. Erskine

Fraxinus
pennsylvanica Marsh.
var. *austini* Fern.

Specimen No: 52.237 Locality: Big Intervale, Margaree, Inverness County Coll. Date: 07/03/52 Collector(s): J.S. Erskine	Specimen No: 52.215 Locality: North East Margaree, Inverness County Coll. Date: 07/02/52 Collector(s): J.S. Erskine
Specimen No: 4016 Locality: Glenora, Inverness County Coll. Date: 05/25/51 Collector(s): E.C. Smith, D.S. Erskine, D.R. Sampson, F.C. Bent	



Name: ***Fraxinus pennsylvanica* Marsh. var. *austini* Fern.**

Reference: Maher et al. 1978


Range: Man-NB, NS; s to Ia and Va

Habitat: damp woods, near lakes or ponds, low ground

Status: Rare

NSM Collections:

Specimen No:	54.882
Locality:	Mount Uniacke, Hants County
Coll. Date:	07/20/54
Collector(s):	J.S. Erskine



Name: *Galium boreale* L. var. *intermedium* DC.

Reference: Maher et al. 1978


Range: Ont-NS; s to Ind and Del

Habitat: clearings/pastures, swales by small lakes, hilltop pastures, dry fields, edges of woods, grassy places


Status: Rare

NSM Collections:

Specimen No:	56.765
Locality:	Milford, Annapolis County
Coll. Date:	08/27/56
Collector(s):	J.S. Erskine



Name: *Galium labradoricum* Wieg.
Reference: Maher et al. 1978
Range: Man-Lab; Great Lakes-NJ
Habitat: alkaline bogs, wet meadows, damp sandy hollows behind dunes amid *Juncus balticus* Willd.
Status: Rare
NSM Collections: None



Name: *Galium obtusum* Bigel.

Reference: Maher et al. 1978

Range: Ont, NS; Ariz-Minn-Fla


Habitat: boggy/seepy swales, wet thickets

Status: Rare

NSM Collections:

Specimen No:	22586
Locality:	Tusket River, Tusket Falls, Yarmouth County
Coll. Date:	08/20/20
Collector(s):	M.L. Fernald, C.H. Bissell, C.B. Graves, B. Long, D.H. Linder


Specimen No:	22585
Locality:	Tusket River, Tusket Falls, Yarmouth County
Coll. Date:	07/13/20
Collector(s):	M.L. Fernald, C.H. Bissell, C.B. Graves, B. Long, D.H. Linder



Name: *Geocaulon lividum* (Richards.) Fern.
Alternate Name(s): *Comandra livida* Richards
Reference: Maher et al. 1978
Range: Alas-NWT, BC-NB, NS-Lab; Wis-New England
Habitat: sterile soils and damp sands in acid and peaty locations, heath bogs, peaty/sandy soils
Status: Rare

NSM Collections:

Specimen No: 3097 Locality: Auburn, Kings County Coll. Date: 05/30/53 Collector(s): W.B. Schofield	Specimen No: 50828 Locality: MacGregor Brook, Inverness County Coll. Date: 08/07/50 Collector(s): J.S. Erskine, Collis, Bruce
Specimen No: 53.764 Locality: St. Paul Island, Victoria County Coll. Date: 08/13/53 Collector(s): J.S. Erskine	



Name: *Geum peckii* Pursh

Reference: Argus & Prysor 1990, Maher et al. 1978, Van Ingen 1992

Range: NS; NH


Habitat: sphagnum and peat bogs, boggy meadows

Status: Canadian Priority: 1 (COSEWIC: Endangered, 1986)

Comment: Endemic, subject of thesis by M. Zinck in prep.

NSM Collections:

Specimen No: 400 Locality: Green Point, near, Brier Island, Digby County Coll. Date: 07/05/50 Collector(s): A.E. Roland, E.C. Smith and party	Specimen No: Locality: Pond Cove (Big Pond Cove), Brier Island, Digby County Coll. Date: 08/01/84 Collector(s): A. Wilson
Specimen No: Locality: Brier Island, Digby County Coll. Date: 08/25/71 Collector(s): R. Belliveau, C. Gaudet	



Name: *Goodyera oblongifolia* Raf.
Alternate Name(s): *G. decipiens* (Hook.) R.T. Hubbard
Reference: Hinds 1983, Maher et al. 1978
Range: Alas, BC-Sask, Ont-NB, NS; s to Cal, N Mex,
Great Lakes, Me
Habitat: damp deciduous/coniferous/mixed woods,
river terraces, wood overlying gypsum,
hardwood forests, ravine slopes
Status: Rare

NSM Collections:

Specimen No:	56.361
Locality:	Goose Cove, Victoria County
Coll. Date:	07/21/56
Collector(s):	J.S. Erskine, E.C. Smith and party

Specimen No:	52.298
Locality:	Salmon River, Victoria County
Coll. Date:	07/09/52
Collector(s):	J.S. Erskine


Goodyera repens (L.)
R. Br. var. *ophioides*.
Fern.

Specimen No:	50576	Specimen No:	50811
Locality:	Cape North, near village, Victoria County	Locality:	South Blair River (Polletts Cove River), near Poulet Cove (Polletts Cove), Inverness County
Coll. Date:	07/28/50	Coll. Date:	08/05/50
Collector(s):	E.C. Smith and party, J.S. Erskine shady soil of spruce and hemlock forest, near village of Cape North, Ontario	Collector(s):	E.C. Smith and party, J.S. Erskine
Status:	Rare		

Comments: Formerly described in North American var. *opifoloides*
(with white marked leaves) in 1890 to distinguish it
from the Eurasian species.

HSM Collections:

Specimen No:	54,1272
Locality:	Lower Ohio, Shallowburn County
Coll. Date:	08/14/58
Collector(s):	J.S. Erskine



Name: *Goodyera repens* (L.) R. Br. var. *ophioides* Fern.

Reference: Maher et al. 1978

Range: Alas-NWT, BC, Sask-Lab; s to Colo and Tenn, Great Lakes, New England

Habitat: damp deciduous/mixed woods, rich hardwoods, sandy soil of spruce woods, fir woods on mountains, alder swamps, hemlock woods

Status: Rare

Comments: Fernald described the North American var. *ophioides* (with white marked leaves) in 1899 to distinguish it from the Eurasian species.


NSM Collections:

Specimen No:	54.1273
Locality:	Lower Ohio, Shelburne County
Coll. Date:	08/14/54
Collector(s):	J.S. Erskine
Specimen No:	54.1273
Locality:	Hectanooga, Digby County
Coll. Date:	08/14/86
Collector(s):	A. Wilson, A. Vienneau

Gratia neglecta Torn.

Name: *Gratia neglecta* Torn.

Specimen No: Locality: Coll. Date: Collector(s):	3860 Indian Flats (Indian Brook), Isle Haute, Cumberland County 08/07/53 W.B. Schofield	Specimen No: Locality: Coll. Date: Collector(s):	? , north of the barracks, Cumberland County 1892-1895 C.S. Bruce
Specimen No: Locality: Coll. Date: Collector(s):	53.491 Indian Brook, Victoria County 08/08/53 J.S. Erskine	Specimen No: Locality: Coll. Date: Collector(s):	53.774 Coggins Mountain (Crogan Mountain), St. Paul Island, Victoria County 08/13/53 J.S. Erskine
Specimen No: Locality: Coll. Date: Collector(s):	Maccan and "Beurrets Mines," between, Cumberland County August 1846 E.H. Ball		



Name: *Gratiola neglecta* Torr.

Reference: Maher et al. 1978


Range: BC-Que, NS; s to Ariz and Ga

Habitat: wet meadows, meadow swales, exposed muddy soils

Status: Rare

NSM Collections:

Specimen No:	12700
Locality:	Stewiacke River, Middle Stewiacke, Colchester County
Coll. Date:	08/21/54
Collector(s):	E.C. Smith, W.B. Schofield, J.C. Taylor, D.H. Webster, L.B. Slipp, P.A. Bentley



Name: *Halenia deflexa* (Sm.) Griseb.

Reference: Maher et al. 1978

Range: BC-NB, NS-Lab; Mont, S Dak, Great Lakes and New England

Habitat: damp soils, exposed places, sea-bluffs, damp/bleak exposed headlands, hills, windswept barrens, salty/grassy hilltops, rocky slopes


Status: Rare

NSM Collections:

Specimen No: V607 Locality: White Point, Louisbourg, Cape Breton County Coll. Date: 08/27/86 Collector(s): V. Lloyd	Specimen No: 53.541 Locality: Martin Powers Mountain, St. Paul Island, Victoria County Coll. Date: 08/10/53 Collector(s): J.S. Erskine
Specimen No: Locality: Coll. Date: Collector(s):	Specimen No: 51.1024 Locality: Arichat, Richmond County Coll. Date: 08/14/51 Collector(s): J.S. Erskine
Arichat, Richmond County	
08/25/18	
M.S. Brown	

*Helianthemum
canadense (L.) Michx.*

Specimen No: 766 Locality: Baleine, Cape Breton County Coll. Date: 08/22/81 Collector(s): M. Williams	Specimen No: 51.1109 Locality: Main-a-Dieu, Cape Breton County Coll. Date: 08/16/51 Collector(s): J.S. Erskine
Specimen No: Locality: Arichat, Richmond County Coll. Date: August 1908 Collector(s): M.S. Brown	
Specimen No: 82.088. Locality: Auburn King's County Coll. Date: 06/25/88 Collector(s): J.S. Erskine, R. Brown	



Name: *Helianthemum canadense* (L.) Michx.

Reference: Maher et al. 1978

Range: Ont-Que, NS; Minn-Mo, Ga


Habitat: sandy plains/barrens, dry clearings, borders of dry mixed woods

Status: Rare

NSM Collections:

Specimen No:	45.1208	
Locality:	Five Island Lake, Halifax County	
Coll. Date:	10/14/45	
Collector(s):	W.G. Dore, A.E. Roland	

Specimen No:	52.068	
Locality:	Auburn, Kings County	
Coll. Date:	06/25/52	
Collector(s):	J.S. Erskine, R. Erskine	



Name: *Hepatica americana* (DC.) Ker.

Reference: Maher et al. 1978


Range: Man-NB, NS; s to Mo and Fla

Habitat: woody/grassy meadows, river terraces, steep exposed slopes, mountain tops, dry pastures, dry pine/oak woods along rivers


Status: Rare

NSM Collections:

Specimen No: 55.623 Locality: Stewiacke River, Colchester County Coll. Date: 07/28/55 Collector(s): D.S. Erskine	Specimen No: Locality: St. Andrews River, Stewiacke, Colchester County Coll. Date: 04/30/49 Collector(s): H.P. Bell, etc
Specimen No: Locality: Falmouth, Hants County Coll. Date: 05/03/1857 Collector(s): H. How	




Name: *Hieracium scabrum* Michx.
Reference: var. *leucocaule* Fern. & St. John
Argus & Prysor 1990
Range: NS
Habitat: dunes, heaths
Status: Canadian Priority: 2
NSM Collections: None



Name: *Hudsonia tomentosa* Nutt.
Reference: Maher et al. 1978
Range: NWT, Alta-NS, Lab; Minn-NC
Habitat: sand/beach dunes
Status: Rare

NSM Collections: None



Name: *Hydrocotyle umbellata* L.

Reference: Argus & Pryer 1990, Maher et al. 1978, Wilson, S. 1985

Range: NS; Ore and Cal-N Mex-Fla-Great Lakes-Mass

Habitat: river shorelines, wet/gravelly margins of lakes, sand/mud/rocks, gently sloping sand/cobble beaches, mucky soil, shallow water at edges of lakes, small coves

Status: Canadian Priority: 1 (COSEWIC: Endangered, 1985)

NSM Collections:


Specimen No:	Specimen No:
Locality:	Wilsons Lake, northwest shoreline, Yarmouth County
Coll. Date:	07/20/83
Collector(s):	A. Wilson

Specimen No:	Specimen No:
Locality:	Wilsons Lake, reserve, Yarmouth County
Coll. Date:	08/14/91
Collector(s):	A. Wilson

Hypericum majus
Gray Brit.

Specimen No:	<i>Hypericum majus</i> (Gray) Britton 1978	Specimen No:	
Locality:	Jeremys Bay, Kejimkujik Lake, Kejimkujik National Park, Annapolis County	Locality:	"Meadow Campground," near, Kejimkujik National Park, Annapolis County
Habitat:	Wet meadow in woods	Coll. Date:	08/22/80
Coll. Date:	August 1980	Collector(s):	T. Bowers
Collector(s):	C. Stewart, J. Dale		

Specimen No:	
Locality:	St. Margarets Bay, Halifax County
Coll. Date:	10/11/87
Collector(s):	E. Dwyer, L. Walker



Name: *Hypericum majus* (Gray) Britt.

Reference: Maher et al. 1978


Range: BC-NS; s to Wash and Ida-Tenn-Pa

Habitat: clearings, wet fields, mossy woods roads

Status: Rare

NSM Collections:

Specimen No:	
Locality:	St. Margarets Bay,
	Halifax County
Coll. Date:	10/16/47
Collector(s):	E. Gorham, L. Decker



3 1264 01845647 0

